Proceedings of the Institution of Mechanical Engineers

Volume 202, 1988

Index compiled by Geoffrey C Jones

The 1988 published Proceedings of the Institution of Mechanical Engineers include four journals (eighteen issues), twelve conference volumes and five seminar volumes. Each entry in the index comprises a code which refers to the relevant journal or volume followed by the page number. The titles with their respective codes are as follows:

A	Power and Process Engineering (journal, issues A1 to A4)
B	Management and Engineering Manufacture (journal, issues B1 to B4)
C	Mechanical Engineering Science (journal, issues C1 to C6)
D	Transport Engineering (journal, issues D1 to D4)
AS	Advanced Suspensions
CC	Use of CADCAM for Fluid Machinery Design and Manufacture
CE	Combustion in Engines — Technology and Applications
CR	Clean Rooms
DB	Disc Brakes for Commercial Vehicles
EM	Experimental Methods in Engine Research and Development
GLP	Gas and Liquid Pulsations in Piping Systems — Prediction and Control
HS	Advanced Handling Systems — Applications and Experiences
HTP	Recent Advances in Design Procedures for High Temperature Plant
PLP	Part-load Pumping Operation, Control and Behaviour
PW	Engineering for Profit from Waste
RF	Decommissioning of Major Radioactive Facilities
RM	Vibrations in Rotating Machinery
RS	The Continuing Role of Steam
RV	Rail Vehicles for Passengers
TC	Traction Control and Anti-wheel-spin Systems for Road Vehicles
VN	Advances in the Control and Refinement of Vehicle Noise

Author Index

Abbott, B Prediction of engine vibration from combustion pressure measurements and examination of the effect of combustion variations in the frequency domain VN147

Abboud, J Forced convection air cooling of an array of electronic modules using the finite element method to analyse module heat transfer C321

Abdul Hussain, U S Jet mixing shear layer combustion: an ultra-low NO_x system for natural-gas-fired gas turbines CE245

Abel, E W A technique for the accurate measurement of low values of rolling resistance D251

Aboul Nour, A M A Theoretical comparisons of various active suspension systems in terms of performance and power requirements AS1

Adams, J L Refuse derived fuel—improved profitability by composting the fines residue PW31

Adams, M L Improvement to prediction accuracy of stability limits and resonance amplitudes using instability-threshold-based journal bearing rotordynamic coefficients RM235

Agnew, B
- Data acquisition system and instrumentation for monitoring lean burn combustion on an SI engine EM119
- The influence of swirl and fuel type on mass burning rates in spark ignition engines CE35

Ahary, M Flame propagation in a high-speed variable swirl spark ignition engine CE43

Ainsworth, R A Assessment procedures for high-temperature crack growth HTP103

Airey, D R Internal and atmospheric leakage assessment and intergate overpressurization of isolation valves A45

Aizawa, M Stabilization by cross stiffness control of electromagnetic damper for contained liquid rotor unstable vibration RM77

Ali El-Saie, Y M H Three-dimensional thermoelastohydrodynamic analysis of pivoted pad thrust bearings
- Part 1: treatment of bearing deflections and fluid film flow and heat transfer C39
- Part 2: application of theory and comparison with experiments C51

Alison, W J The development of a solution to part-load instability in a modern power station feed system PLP177

Al-Khatib, R F Direct cylinder bore surface measurement during engine operation EM59

Allaire, P E
- Magnetic bearing design optimization RM53
- One-dimensional finite element analysis of multiple-pad pressure dam bearings RM359

Allen, R F Weight distribution of liquid loads in road tankers D211

Andrews, G E
- Diesel emissions reduction using a catalyst and water scrubber for underground mine applications A233
- Experimental methods for investigating the transient heating and emissions of an SI engine during the warm-up period EM101
- Jet mixing shear layer combustion: an ultra-low NO_x system for natural-gas-fired gas turbines CE245

Ansourian, P The failure of two torispherical shells under internal pressure A183

Arafa, H A Spool hydraulic stiffness and flow force effects in electrohydraulic servo-valves *(erratum)* C72

Armitage, C The combustion of waste in fluidized bed boilers—two case histories PW109

Armstrong, J D Engine tests for carburetted intake manifold development EM93

Arnell, R D The elastic–plastic contact of rough surfaces and its relevance in the study of wear C269

Artt, D W The influence of diffuser channel length–width ratio on the efficiency of a centrifugal compressor A163

Ashcroft, D J Engineering design of the Windscale advanced gas-cooled reactor decommissioning machine and robotic manipulator RF229

Ashton, E W S Adventuring in industry B165

Ashton, J N Thermal analysis of a spur gearbox
- Part 1: steady state finite element analysis C245
- Part 2: transient state finite element analysis of the gearbox casing C257

Aspragathos, N A High-cycle fatigue of shafts due to starting transients in drive systems D201

Ast, C The influence of seals on the dynamics of turbopumps RM259

Attard, M A Pipework refurbishment A193

Augustin, X French processes for waste embedding—the use of epoxy resin for waste containment RF167

Azoury, P H On the optimum utilization of water hammer A249

Baasiri, M On the optimum utilization of water hammer A249

Baines, N C Application of an expert system to rotating machinery health monitoring RM449

Baker, C A Developments in CARS diagnostics for IC engine measurements EM137

Baker, R C Computational method to assess concentration of water in crude oil downstream of a mixing section A117

Balachandar, R Evaluation of cavitation damage characteristics using a profilometer C341

Balda, M Balancing turboset rotors as evolutionary systems RM487

Barak, P Application of the LQG approach to design of an automotive suspension for three-dimensional vehicle models AS11

Barclay, F J
- Approximate analysis of feed and district heating cycles for steam combined heat and power plant *(discussion)* A212
- Co-generation in arid and cool climates: a new unified perspective using exergy analysis A129

Barlow, Sir William Engineering leadership in the boardroom B75

Barr, A D S
- Dynamics of a rigid rotor mounted on discontinuously non-linear elastic supports C369
- Response of two elastically supported rigid rotors sharing a common discontinuously non-linear support RM589

Barr, G A flexible manufacturing system for air and gas handling equipment CC53

Barrand, J P Recirculation at impeller inlet and outlet of a centrifugal pump PLP61

Barrett, L E Magnetic bearing design optimization RM53

Bartlett, H A self-tuning control strategy for gas-fired glass forehearths B143

Baru, M K A new approach for the determination of cam follower system parameters C361

Batley, T W Mechanical Handling Engineers—a case for engineering management with style B171

Bayman, R E Docklands Light Railway—a new approach RV19

© IMechE 1989

Beddows, R A The development of a packaging and disposal system for the Windscale advanced gas-cooled reactor RF159
Begh, F The examination of optimal focus settings with material thickness at atmospheric and subatmospheric pressures of air and oxygen in laser drilling of metals B123
Bejot, P M Design and development of disc brakes DB63
Bekircan, S
Ideal characteristics of a variable ratio belt drive D45
Performance of a high-reduction planetary gear drive with respect to efficiency *(discussion)* D273
Belmont, M R The correlation between early light emission and peak pressure in a spark ignition engine CE1
Benjamin, S F The development of the GTL 'barrel swirl' combustion system with application to four-valve spark ignition engines CE203
Bennett, D The packaging and transport of large items of intermediate and low-level decommissioning waste RF175
Bertholdt, H-O Decontamination of systems and components for decommissioning RF145
Bethge, K Crack propagation under thermal cyclic loading HTP85
Bhot, S R Assessment of a strategy for optimum control of ignition advance angle D1
Biddle, C A R Landfill gas—the potential for profit PW51
Birch, N T Structural loads due to surge in an axial compressor RM117
Birch, R S Performance assessment of an impact rig C275
Bird, W R O Development of new high-speed motor train units to be operated on the German Federal Railway network *(discussion)* D140, D141
Black, J R Improvements to indirect injection diesel combustion CE93
Blackler, M J The failure of two torispherical shells under internal pressure A183
Blackstone, C E J The development of overhead crane robotics for automated handling and storage HS31
Bleuler, H Active electromagnetic suspension and vibration control of an elastic rotor with a signal processor RM101
Boam, D J The optimization of fuel enrichment patterns with throttle body injection D9
Boorman, T Decommissioning the Windscale advanced gas-cooled reactor—a demonstration project for UK reactors RF1
Botros, K K Influence of flow in pulsation simulation of gas pipeline installations GLP89
Bradbury, D Decontamination of Magnox boilers RF131
Bradley, D Limitation to turbulence-enhanced burning rates in lean burn engines CE17
Brant, A W Nuclear decommissioning—practical experience of the private sector RF103
Bratt, J F Transient response of a rotor beam excited by impulsive loading at the fixed end RM641
Brear, F The development of a direct injection diesel combustion system for low noise, emissions and mechanical loading CE105
Brember, G S Kestrel clean room—drawing board to disc files CR75
Briggs, R A Heating mediums for hospitals RS57
Briscoe, B J Friction of aramid fibre composites DB15
Brown, M W Aspects of fatigue crack growth C19
Brown, P G The results of recent experiments on unburnt hydrocarbons CE261
Brown, R D The use of fluid swirl to control the vibration behaviour of rotating machines RM69
Brownell, J B Structural loads due to surge in an axial compressor RM117
Broyd, T W Airflow modelling in the design and operation of clean rooms CR9
Bruhns, O T Constitutive equations for the inelastic behaviour of stainless steels HTP17
Buck, S Decommissioning of a mixed oxide fuel fabrication facility RF67
Buckingham, D J The correlation between early light emission and peak pressure in a spark ignition engine CE1
Büehlmann, E T Prediction and measurement of vibrations of pump rotors RM435
Bumby, J R A hybrid internal combustion engine/battery electric passenger car for petroleum displacement D51
Bundalo, Z Development of a new family of passenger coaches on the Yugoslav railways RV57
Burrows, C R Control strategies for use with magnetic bearings RM23
Buschmann, G Integrated traction control function—the consequent extension of highly sophisticated anti-lock systems TC103
Butler, A W The evolution of locomotive and rolling stock maintenance schedules D33
Butsuen, T Invariant properties of automotive suspensions AS35

Caignaert, G Recirculation at impeller inlet and outlet of a centrifugal pump PLP61
Calladine, C R The theory of thin shell structures 1888-1988 A141
Callow, G D Insertion loss of engine intake and exhaust silencers VN39
Canavelis, R
Effect of suction duct design on the performance of mixed-flow pump at partial flow PLP25
Part-load operation of the boiler feedwater pumps for the new French PWR 1400 MW nuclear plants—a challenge for the designer PLP123
Carey, C Flow analysis and part-load performance of model mixed-flow pumps PLP83
Cargill, A M Structural loads due to surge in an axial compressor RM117
Carr, I E The prediction and reduction of noise from engine covers using energy methods VN159
Carter, D Tube trains for passengers RV65
Carter, K F Interaction diagrams for use in the construction of design codes and the assessment of axisymmetric thin shells subjected to cyclic thermal loading HTP7
Cartledge, M C The development of a solution to part-load instability in a modern power station feed system PLP177
Casale, P G Modelling and monitoring of performance of lubricants for marine diesel engines EM49
Catling, D T Design trends in light rail vehicles RV27
Cebon, D Theoretical road damage due to dynamic tyre forces of heavy vehicles
Part 1: dynamic analysis of vehicles and road surfaces C103
Part 2: simulated damage caused by a tandem-axle vehicle C109
Cech, I A low-power active suspension and its bounce and cross model performance AS27
Chalko, T J Turbogenerator layout for optimal dynamic response—a study and a case history RM427
Chambers, P W Disc brake squeal—some factors which influence its occurrence DB39

© IMechE 1989

Chan, C L The influence of swirl and fuel type on mass burning rates in spark ignition engines CE35
Chapman, G M Strategies for the vibration analysis of a large turbocharger RM193
Charnah, R M The growing pains of ceramics processing C227
Chawawa, B Ethanol as fuel in small stationary spark ignition engines for use in developing countries CE191
Cheli, F
A method to identify the foundation modal parameters through measurements of the rotor vibrations RM217
Non-linear effects in lubricated bearings RM365
Cheung, R S A method of investigating flows in inlet ports of complex shape CE51
Cheung, W G Jet mixing shear layer combustion: an ultra-low $NO|_x$ system for natural-gas-fired gas turbines CE245
Childs, D W Clearance effects on leakage and rotordynamic coefficients of smooth, liquid annular seals RM371
Childs, P Non-metallic asbestos-free gaskets A63
Childs, T H C The mapping of metallic sliding wear C379; (*discussion*) C443, C444
Cho, H S Stability analysis of a load-sensing hydraulic system A79
Chocholek, S E The development of a differential for the improvement of traction control TC75
Chowaniec, Z Vibration transmission characteristics of a marine diesel driveshaft installation RM579
Churchill, G F Supplier quality assurance systems: a study in the nuclear industry B205
Cicak, M Development of a new family of passenger coaches on the Yugoslav railways RV57
Cipolla, G Three-dimensional flow field calculation of combustion chamber geometries for production direct injection diesel engine CE145
Claes, J Decommissioning project of the former Eurochemic reprocessing plant at Dessel, Belgium RF77
Clancy, J S Ethanol as fuel in small stationary spark ignition engines for use in developing countries CE191
Clark, J A J Incineration and heat recovery from solid, liquid and gaseous waste streams PW95
Clarke, R B Making finite element analysis available to designers at the concept stage B81
Clayton, A M Creep–fatigue assessment procedures for fast reactors HTP49
Clement, G A new manipulator under development in France RF209
Clements, W W The influence of diffuser channel length–width ratio on the efficiency of a centrifugal compressor A163
Cliffe, J New guidelines for the preliminary design and performance prediction of axial flow turbines *(discussion)* A213
Colding-Jørgensen, J Fluid-induced shaft vibrations in rotary atomizers RM325
Cole, A C The development of a turbocharger turbine test facility EM75
Coleman, W S The changing research and development role in the mobility industry from a supplier's point of view D83
Collings, N
Exhaust gas ionization sensor for spark ignition engines CE173
Flame speed standardization between cylinders by feedback control of individual fuel injector pulse width CE31
Ionization sensors for feedback control of gasoline engines EM43
Collins, N W Engineering design of the Windscale advanced gas-cooled reactor decommissioning machine and robotic manipulator RF229
Collis-Smith, J A The dismantling of active plant at the Petten high flux reactor RF33
Colquhoun, A P Decommissioning of a mixed oxide fuel fabrication facility RF67
Combescure, A Buckling under time-dependent loads HTP23
Cook, A R Practice for the sales engineer B185
Cooke, J R Stepper motors: principles and characteristics D111
Costes, J R An example of power reactor cooling circuit decontamination RF127
Craighead, I A
An active suspension system for an ambulance stretcher AS59
An analysis of the steady state and dynamic characteristics of a cylindrical-spherical floating ring bearing RM349
Crandall, S H Conservative and non-conservative coupling in dynamic systems RM567
Crawford, C J A review of the development of safety and relief valve silencers for steam discharge A89
Crawshaw, A C D Railway carriage design—an integrated approach RV127
Creber, D J Leakage flow detection in a fluid power speed control system using a personal-computer-based condition monitoring package B213
Crégut, A
A new manipulator under development in France RF209
Reactor decommissioning experience and perspectives RF63
Croker, M D The analysis and control of engine noise quality VN23
Crolla, D A
Controlled rear steering for cars—a review AS149
Theoretical comparisons of various active suspension systems in terms of performance and power requirements AS1
Wheel-spin control for on/off-road vehicles TC33
Crooijmans, M T M The dynamics of a rotor with rubbing RM297
Crosby, J P Training and skills requirements for British Rail depot maintenace staff D119
Cross, J R Producing ultra-pure water for clean rooms CR51
Crossley, H Windscale advanced gas-cooled reactor core restraint band removal RF55
Crowther, M Fully automatic, unmanned solid and multi-fuel shell boilers RS7
Cugnetto, G Three-dimensional flow field calculation of combustion chamber geometries for production direct injection diesel engine CE145
Cui, S Q Optimizing the co-generation coefficient in district heating and the co-generation of heat and electricity A243
Cundy, M R The dismantling of active plant at the Petten high flux reactor RF33
Currie, J A N Flameproof diesel engines in underground coalmines in Britain—design features and operational experience A225
Curtis, C H Review of PSV brakes in the light/medium range and their needs DB143
Cveticanin, L Stability of the textile machine rotor RM337
Czinczel, A ASR—task, design and function TC89

© IMechE 1989

Czolczynski, K On the natural frequencies and stability of a Laval rotor subjected to follower force RM333

Dale, A The development of a turbocharger turbine test facility EM75
Dale, B G
Case studies of quality-related costing in engineering manufacture B99
Supplier quality assurance systems: a study in the nuclear industryB205
The management of product quality: a study B135
Dannatt, H M Development of new high-speed motor train units to be operated on the German Federal Railway network *(discussion)* D140
Darvishi, A R Knowledge representation database for the development of a fixture design expert system B37
Daugherty, H F The decommissioning of eight graphite-moderated reactors RF11
David, J F The influence of occluded or dissolved air contained in water on pump cavitation PLP97
David, T Steam for heating RS41
Dean, T A
The effect of billet location on completely closed cavity die forging B227
The influence of process variables on load and accuracy when forging in a completely closed cavity die B237
Decker, H A practical approach towards advanced semi-active suspension systems AS93
de Kraker, D The dynamics of a rotor with rubbing RM297
Demel, H ASR—task, design and function TC89
Dempsey, P A The role of advanced handling systems in running an effective business HS1
Denny, M F The imagery of passenger trains RV1
Dent, C G A comparison of the application of 'energy from municipal solid waste' technology in three countries—the United Kingdom, Sweden and Canada PW75
Dent, J C Modelling of injected fuel film development and evaporation in a wall-wetting direct injection diesel engine CE59
de Silva, R Balancing of flexible rotors with one transient run—an experimental and theoretical investigation RM511
Desmet, B Recirculation at impeller inlet and outlet of a centrifugal pump PLP61
Dew-Hughes, D Superconductivity: scientific phenomenon to engineering reality C147
Diana, G
A method to identify the foundation modal parameters through measurements of the rotor vibrations RM217
Non-linear effects in lubricated bearings RM365
Dietzen, F J Finite difference analysis of rotordynamic seal coefficients for an eccentric shaft position RM379
Diewald, W The influence of seals on the dynamics of turbopumps RM259
Dixon, J C Linear and non-linear steady state vehicle handling D173
Dobell, M H Tube trains for passengers RV65
Doi, S An experimental study of optimal vibration adjustment using adaptive control methods AS119
Donaldson, I R Pipework refurbishment A193
Dong, C F The diagnosis of faults of a turbine set RM405
Downs, H Planning and operational experience of decommissioning transuranic contaminated radioactive facilities at Atomic Weapons Establishment Aldermaston RF87
Draulans, J Decommissioning in a mixed oxide fuel fabrication plant RF95
Drubay, B Creep–fatigue rules in the RCC-MR code HTP55
Duncalf, A J The management of product quality: a study B135
Dunn, P D Ethanol as fuel in small stationary spark ignition engines for use in developing countries CE191
Dyer, D Thermally induced unbalance of generator rotors due to blocked gas cooling ducts RM547

Eade, D Ionization sensors for feedback control of gasoline engines EM43
Earles, S W E Disc brake squeal—some factors which influence its occurrence DB39
East, R G Evolution of friction materials for commercial vehicle disc brakes DB1
Ebersolt, L CASTEM 2000: a modern approach of computerized structural analysis HTP13
Eckert, L Comparison between computed and measured vibrations of turbomachines RM411
Edge, K A
Simulation of the pressure ripple characteristics of hydraulic circuits GLP13
The reduction of gear pump pressure ripple *(discussion)* B61
Egas, G Gas pulsations in pipe systems—a case history and solutions GLP107
Egger, G Stability and traction control for four-wheel-drive passenger vehicles TC49
Ellam, H In-service vibration levels on large turbine generators RM411
Ellington, J P Interaction diagrams for use in the construction of design codes and the assessment of axisymmetric thin shells subjected to cyclic thermal loading HTP7
Elliott, R Interpretation of strain gauge results for gas turbine engines with the aid of finite element analysis RM177
Ellis, F The combustion of waste in fluidized bed boilers—two case histories PW109
Ellis, J
A new approach for the determination of cam follower system parameters C361
Experimental determination of squeeze-film dynamic coefficients by a frequency domain method C235
Emig, R Traction control for commercial vehicles, design goals and field experience TC113
Endlicher, K-O Theoretical investigations on the behaviour of a car with additional four-wheel steering at μ-split conditions AS181
Engeda, A
Partial flow performance comparisons of semi-open and closed centrifugal impellers PLP35
Pump instabilities at partial flow—a review PLP1
Ereaut, P R Laser Schlieren measurements of flames in a production SI engine EM109
Evans, D F Self-guided vehicle case study proves advanced technology HS13
Evans, D I The effect of vehicle/tyre/road interaction on external and internal vehicle noise VN65
Everest, R Diesel emissions reduction using a catalyst and water scrubber for underground mine applications A233
Ewins, D J A probabilistic analysis of mistuned bladed turbine disc RM143

© IMechE 1989

Fairhead, G S The optimization of fuel enrichment patterns with throttle body injection D9
Falciani, F A new system to simulate the influence of pressure pulsation on reciprocating compressors valve behaviour GLP1
Farquharson, G J Design, installation, commissioning, testing and validation of pharmaceutical clean rooms CR89
Farr, G P R A simple traction control TC95
Farrell, J A flexible manufacturing system for air and gas handling equipment CC53
Fenner, D N An evaluation of eight-node quadrilateral finite elements for the analysis of a dynamically loaded hydrodynamic journal bearing C95
Fenner, R T Three-dimensional thermoelastohydrodynamic analysis of pivoted pad thrust bearings
Part 1: treatment of bearing deflections and fluid film flow and heat transfer C39
Part 2: application of theory and comparison with experiments C51
Fessler, H Leakage through loaded flat-flanged joints without gasket A1
Finlay, I C The optimization of fuel enrichment patterns with throttle body injection D9
Finnis, M P History dependence in two-disc scuffing tests C211
Firth, K A comparison of the cost characteristics of modern parts storage and handling systems HS125
Fletcher, P Landfill gas extraction—vertical wells or horizontal trenches? PW37
Flook, S A Planning and operational experience of decommissioning transuranic contaminated radioactive facilities at Atomic Weapons Establishment Aldermaston RF87
Foag, W A practical control concept for passenger car active suspensions with preview AS43
Földes, F Different models of disc brake for buses DB87
Ford, A M Pipework refurbishment A193
Ford, R Matching environmental systems to passenger needs RV147
Forster, I A hybrid internal combustion engine/battery electric passenger car for petroleum displacement D51
Foster, D E Two-component velocity probability density measurements during premixed combustion in a spark ignition engine CE225
Fowler, A
Control of cylinder conditions in a closed cycle diesel engine CE119
Experimental research in closed-cycle diesel technology EM67
France, D The development of a solution to part-load instability in a modern power station feed system PLP177
Franck, J Fundamentals of auto-ignition in reciprocating engines CE25
Frank, T G A technique for the accurate measurement of low values of rolling resistance D251
Franks, I T The development of production monitoring systems B177
Fraser, S M Flow analysis and part-load performance of model mixed-flow pumps PLP83
Fraser, C J The effect of pressure gradient and freestream turbulence intensity on the length of transitional boundary layers C195
Frei, A Prediction and measurement of vibrations of pump rotors RM435
Frigeri, C Some in-field experiences of non-repeatable behaviour in the dynamics of rotating machinery RM395
Frühauf, F Variable damping—philosophy and experiences of a preferred system AS113
Fry, S A Momentum analysis for a cascade of flat plates in supercavitating flow A97
Frye, A Facilities for elderly and disabled rail passengers—a European perspective RV167
Fürst, S An active support system for rotors with oil-film bearings RM61
Furuno, S Swirl motion analysis in a spherical combustion chamber CE165
Fussey, D E
A comparison of diesel engine exhaust emissions collected by an environmental protection agency recommended dilution tunnel/filter with the sample from a new solvent scrubbing system CE135
The use of radiolabelled polycyclic aromatic hydrocarbon fuel components to investigate diesel engine emissions CE127
Fyfe, K Use of principal component analysis for dominant noise source identification VN123

Galletly, G D Buckling of fibre-reinforced plastic–steel torispherical shells under external pressure C409
Gandhi, H S Technical considerations for catalysts for the European market D227
Gardiner, I D Development of new high-speed motor train units to be operated on the German Federal Railway network *(discussion)* D140
Gardiner, I D The effect of pressure gradient and freestream turbulence intensity on the length of transitional boundary layers C195
Gardner, R Some compositional effects in the static and dynamic properties of commercial vehicle disc brakes DB31
Garibaldi, L A procedure for identifying non-linearity in rigid rotors supported in hydrodynamic and ball/roller bearing systems RM229
Garrad, A D A finite element approach to the aeroelastic analysis of flexible rotors attached to flexible supports RM615
Gasch, R Dynamic behaviour of the Laval rotor with a cracked hollow shaft—a comparison of crack models RM463
Gasser, F A class 100 clean room from concept to construction CR19
Gauthey, J C French processes for waste embedding—the use of epoxy resin for waste containment RF167
Gee, B Implementation and development of computer aided design systems CC43
Geens, L Decommissioning project of the former Eurochemic reprocessing plant at Dessel RF77
Gehriger, C Plastic piping systems in clean rooms CR67
Géradin, M Non-linear dynamic analysis of flexible rotors RM627
Gerum, E A highly dynamic anti-wheel-spin system TC135
Giacomelli, E A new system to simulate the influence of pressure pulsation on reciprocating compressors valve behaviour GLP1
Gibson, P R Experiences with a Teaching Company in the United Kingdom B129
Giers, A J A Unbalance and vibration control in a large geotechnical centrifuge RM555
Gill, K F Knowledge representation database for the development of a fixture design expert system B37

© IMechE 1989

Gill, R Towards automated assembly using flexible robotic assembly cells, transputers and expert systems HS119
Glasspoole, W F Direct cylinder bore surface measurement during engine operation EM59
Glover, A R A study of the correlation between in-cylinder air motion and combustion in gasoline engines CE195
Gohda, H Remote cutting systems for dismantlement of steel structures in the Japan power demonstration reactor RF215
Göhring, E
Commercial vehicle electronics—an improvement in safety, economy and environmental compatibility TC1
Improvements in traction and stability performance as seen by the commercial vehicle manufacturer TC13
Improvements of the braking performance of heavy duty commercial vehicles by using disc brakes DB105
Goodrich, D Maritime research and high technology development A69
Goodwin, D The combustion of waste in fluidized bed boilers—two case histories PW109
Goodwin, M J An analysis of combined squeeze-film and variable stiffness hydrostatic bearings, and their use in aircraft engine vibration control RM85
Gottlich, E H A method for overall condition monitoring by controlling the efficiency and vibration level of rotating machinery RM445
Goulas, A The flow field at the tip of an impeller at off-design conditions PLP51
Grave, M J The application of decontamination to decommissioning contracts RF117
Greaves, A Switch-on delays in multiplexed automotive brake lamps D195
Greaves, J R A Wind noise evaluation using a closed circuit climatic wind tunnel VN55
Green, A J Gas flow noise and pressure loss in heavy vehicle exhaust systems VN47
Greenhalgh, D A Developments in CARS diagnostics for IC engine measurements EM137
Greening, D A non-contact opto-electronic sensing device for precision linear and angular positioning of robotic manipulators B261
Greenwood, J A Film thicknesses in circular elastohydrodynamic contacts C11
Greeves, G Improvements to indirect injection diesel combustion CE93
Gregory, A R Decommissioning the Windscale advanced gas-cooled reactor—a demonstration project for UK reactors RF1
Gregory, M J The Cambridge phenomenon—lessons for manufacturing B93
Griffiths, J F Fundamentals of auto-ignition in reciprocating engines CE25
Griffiths, P J An electro-hydraulic valve operating system for engine research and development EM25
Grinsted, N The pursuit and achievement of engineering excellence A151
Grist, E Pressure pulsations in cavitating high-energy centrifugal pumps and adjacent pipework at very low or zero flowrate PLP143
Grosvenor, T
Can passengers design trains? RV73
Consumer response to design trade-offs RV97
Groves, M H Tangara commuter rail stock—a design competition RV49
Gu, H An improved least squares method for calculating balancing correction masses RM499
Guilloiseau, P Part-load operation of the boiler feedwater pumps for the new French PWR 1400 MW nuclear plants—a challenge for the designer PLP123
Gupta, K D Dynamic response of a dual-rotor system by extended transfer matrix method RM599
Gurney, J D Industrial combined heat and power: investment, savings and decision-making A23

Hagel, W C Superalloys II: high temperature materials for aerospace and industrial power *(book review)* C145
Haines, S N M The determination of diesel engine friction characteristics by electronic cylinder disablement EM13
Hall, D B Problems associated with the drainage of condensate from rotating dryers RS49
Hall, L C The use of viscous couplings to alleviate transmission wind-up in military vehicles when driven on-road TC23
Hall, R C Airflow modelling in the design and operation of clean rooms CR9
Hall, R W Two-dimensional elastohydrodynamic lubrication
Part 1: the associated dry contact problem C347
Part 2: solution of the line contact problem C354
Halling, J The elastic-plastic contact of rough surfaces and its relevance in the study of wear C269
Hampshire, M J Switch-on delays in multiplexed automotive brake lamps D195
Hanada, N T Laser Doppler anemometer measurement of gas flow in the wedge-type combustion chamber of a two-cycle spark ignition engine CE213
Hancock, M S The correlation between early light emission and peak pressure in a spark ignition engine CE1
Hands, T Flame speed standardization between cylinders by feedback control of individual fuel injector pulse width CE31
Hannam, R G Training and skills for computer aided design and draughting B115
Hardisty, H Forced convection air cooling of an array of electronic modules using the finite element method to analyse module heat transfer C321
Hardy, A E J The noise environment for passengers in railway vehicles RV139
Harris, J R Experimental methods for investigating the transient heating and emissions of an SI engine during the warm-up period EM101
Hart, J A The use of fluid swirl to control the vibration behaviour of rotating machines RM69
Hartmann, V In-cylinder flow analysis as a practical aid in the development of internal combustion engines CE235
Hassan, J H Performance predictions for a pneumatic active car suspension system D243
Hayashi, Y An experimental study of optimal vibration adjustment using adaptive control methods AS119
Hedrick, J K Invariant properties of automotive suspensions AS35
Heine, W F Decontamination and decommissioning of a fuel reprocessing pilot plant RF139
Henderson, A R The pulsation properties of positive displacement pumps - their measurement and application GLP31
Henly, H R The application of automatic speech recognition to parcel sorting and other data-entry tasks HS57

© IMechE 1989

Hennecke, D Frequency dependent variable suspension damping - theoretical background and practical success AS101
Henwood, D J Engine noise—practicalities and prediction, Part 3: noise prediction using the boundary element method VN139
Herb, E Stability and traction control for four-wheel-drive passenger vehicles TC49
Hergt, P The flow field of two pump impellers operating at part-load PLP69
Herrmann, G Application of viscous couplings for traction control in passenger cars TC151
Herzer, C The influence of seals on the dynamics of turbopumps RM259
Hill, J W, Application of an expert system to rotating machinery health monitoring RM449
Hinduja, S Thermal analysis of a spur gearbox
Part 1: steady state finite element analysis C245
Part 2: transient state finite element analysis of the gearbox casing C257
Hine, P J A practical intelligent damping system AS141
Hiraga, F Remote cutting systems for dismantlement of steel structures in the Japan power demonstration reactor RF215
Hirst, W Traction in elastohydrodynamic contacts C129
Hobson, D The combustion of waste in fluidized bed boilers—two case histories PW109
Hockney, R L Active synchronous response control of rigid-body rotors RM33
Hoffman, A CASTEM 2000: a modern approach of computerized structural analysis HTP13
Hollier, R H The specification of advanced handling systems HS139
Hollings, D Can passengers design trains? RV73
Holmes, R The design and development of a non-contact printer for product coding B87
Holnicki, A Microprocessor-controlled automatic balancing systems RM109
Holt, G The packaging and transport of large items of intermediate and low-level decommissioning waste RF175
Hong, S-W Unbalance response analysis of rotor bearing systems with spin speed dependent parameters RM539
Hong, W Achieving exacting vibration and noise environments for microelectronics clean rooms CR43
Hood, B A A high-speed direct injection diesel engine for passenger cars A171
Hooke, C J
Minimum film thicknesses in lubricated point contacts operating in the elastic piezoviscous regime C73
Pressure pulsations generated by rotary lobe positive displacement pumps GLP23
The lubrication of overclamped slippers in axial piston pumps—centrally loaded behaviour C287
Hope, R Development of new high-speed motor train units to be operated on the German Federal Railway network *(discussion)* D140
Hori, Y Anti-earthquake considerations in rotordynamics RM1
Horlock, J M Approximate analysis of feed and district heating cycles for steam combined heat and power plant *(discussion)* A211, A213
Horrell, C W Life extension of steam turbine rotors on the basis of design reassessment HTP27
Hrovat, D Application of the LQG approach to design of an automotive suspension for three-dimensional vehicle models AS11
Hu, Y The dynamic analysis of a multi-shaft rotor–bearing–case system RM607
Hübel, H Constitutive equations for the inelastic behaviour of stainless steels HTP17
Hudson, D M Maximizing vehicle refinements by optimization of body structure and drivetrain dynamic behaviour VN183
Hudson, P G The application of area gantry robots HS41
Hughes, T S F Providing for disabled travellers on British Rail trains RV183
Hughes, S J A review of CAE techniques for rotodynamic pumps CC9
Humphris, R R Magnetic bearing design optimization RM53
Hunt, J S A class 100 clean room from concept to construction CR19
Hustak, J F
Analysis and test results of two centrifugal compressors using active magnetic bearings RM93
Evaluation of liquid and gas seals for improved design of turbomachinery RM387
Hyde, R G F Industrial combined heat and power: investment, savings and decision-making A23
Hyde, T H Leakage through loaded flat-flanged joints without gasket A1
Hynes, J Limitation to turbulence-enhanced burning rates in lean burn engines CE17

Ibhadode, A O A
The effect of billet location on completely closed cavity die forging B227
The influence of process variables on load and accuracy when forging in a completely closed cavity die B237
Iguchi, S Swirl motion analysis in a spherical combustion chamber CE165
Iino, T A numerical method of analysing dilute gas-particle flows in clean rooms CR61
Imlach, J Magnetic bearing design optimization RM53
Inagaki, T A study on non-steady stability of a rotor–journal bearing system—stability of the 360° short bearing RM317
Inoue, Y A traction control system for use in rear-wheel drive vehicles with automatic transmissions TC61
Irie, N Handling and stability improvement achieved with four-wheel steering AS191
Irretier, H The influence of damping and angular acceleration on the vibratory response of rotating beam-like blades passing through resonance RM125
Irvine, N M The assessment of crack propagation caused by thermal striping HTP97
Isaacs, R M Cold start performance of SI engines EM85
Ise, K A traction control system for use in rear-wheel-drive vehicles with automatic transmissions TC61
Ishikawa, M The Japan power demonstration reactor decommissioning programme RF25
Isshiki, Y Induction swirl in a multiple intake valve engine—three- dimensional numerical analysis CE73
Iwata, Y Unstable vibration of a rotor with a transverse crack RM647
Iwatsubo, T Vibration and noise of a geared rotor system—considered lateral and torsional motion RM289

Jaberg, H The flow field of two pump impellers operating at part-load PLP69
Jackson, C Turbomachinery field balance techniques—three case histories RM9
Jackson, N S An experimental assessment of instantaneous heat transfer within a highly rated DI truck engine EM159

© IMechE 1989

Jackson, R T Current equipment and new developments HS27
Jain, Y P A study of some factors affecting the performance of a contra- rotating axial compressor stage A15
James, P W Expressions for secondary streamwise vorticity which allow for streamwise losses C1
Jane, P A H The development of a direct injection diesel combustion system for low noise, emissions and mechanical loading CE105
Jeffery, B J The design of a piping system containing an orifice meter for the measurement of time-mean flowrate of a pulsating flow of gas GLP77
Jepson, D Diesel emissions reduction using a catalyst and water scrubber for underground mine applications A233
Jiang, X W The diagnosis of faults of a turbine set RM405
Jin, D The application of the model reference adaptive system in the identification of dynamic characteristics of oil-film bearings RM241
Jirasek, J C Queensland Railways new inter-city express train—The Spirit of Capricorn RV87
Johnson, B G Active synchronous response control of rigid-body rotors RM33
Johnson, J H The effect of thermal distortion on the characteristics of large hydrodynamic bearings C219
Johnson, K L Mapping of metallic sliding wear *(discussion)* C443
Johnston, D N Simulation of the pressure ripple characteristics of hydraulic circuits GLP13
Johnstone, C D Fully automatic, unmanned solid and multi-fuel shell boilers RS7
Jones, D A Efficient gas firing—an alternative to steam RS35
Jones, J M The Windscale piles RF247
Jones, N Performance assessment of an impact rig C275
Jones, R A The imagery of passenger trains RV1
Jones, R R K The noise environment for passengers in railway vehicles RV139
Josso, F An example of power reactor cooling circuit decontamination RF127
Joule, D Thermal analysis of a spur gearbox
Part 1: steady state finite element analysis C245
Part 2: transient state finite element analysis of the gearbox casing C257
Jouri, W S Performance assessment of an impact rig C275
Jowett, M P The Worthington Simpson computer aided engineering project CC21
Jungowski, W M Influence of flow in pulsation simulation of gas pipeline installations GLP89

Kalghatgi, G T Improvement in the ignition ability of glow discharges brought about by deposits of potassium sulphate on the electrodes CE9
Kaliszer, H Microprocessor-controlled automatic balancing systems RM109
Kallenbach, R A practical approach towards advanced semi-active suspension systems AS93
Kamiya, Y Experimental study for development of thermic lance cutting method RF193
Kang, W The application of the model reference adaptive system in the identification of dynamic characteristics of oil-film bearings RM241
Karmakar, R Vibratory conveying by non-sinusoidal excitation C405
Katano, Y Experimental study for development of thermic lance cutting method RF193
Katupitiya, J A simple algorithm for self-tuning control of low-order models C301
Kawakami, T A study on non-steady stability of a rotor–journal bearing system—stability of the 360° short bearing RM317
Kawasaki, M The Japan power demonstration reactor decommissioning programme RF25
Kawata, Y Measurement of the transfer matrix of a prototype multi-stage centrifugal pump PLP137
Keith, A J A case study of the application of computer simulation to automated storage and handling systems HS145
Kellenberger, W Bimodal (complex) balancing of large turbogenerator rotors having large or small unbalance RM479
Kelling, S Refuse derived fuel—improved profitability by composting the fines residue PW31
Kelly, D A History dependence in two-disc scuffing tests C211
Kensett, R G Energy recovery from refuse incineration in the National Health Service PW101
Kermode, B C D Profit from waste materials PW21
Khezzar, L Flows through round sudden contractions C295
Kido, H The effects of intensification of local premixing on direct injection stratified-charge combustion process CE85
Kill, N Non-linear dynamic analysis of flexible rotors RM627
Kim, C-S Travelling wave control of rotating discs and analysis of its spillover effect C119
Kim, S D Stability analysis of a load-sensing hydraulic system A79
King, D The design and development of a non-contact printer for product coding B87
Kinns, R Vibration transmission characteristics of a marine diesel driveshaft installation RM579
Kirby, C Decontamination of Magnox boilers RF131
Kirby, E D Effect of bearing alignment on stability threshold and post-stability behaviour of rotor–bearing systems RM311
Kirk, R G
Analysis and test results of two centrifugal compressors using active magnetic bearings RM93
Evaluation of liquid and gas seals for improved design of turbomachinery RM387
Kirkup, S M Engine noise—practicalities and prediction, Part 3: noise prediction using the boundary element method VN139
Kisbocskói, L Proceedings of the Eighth Conference on Fluid Machinery (*book review*) C377
Kitagawa, T The effects of intensification of local premixing on direct injection stratified-charge combustion process CE85
Klang, A Calculation of unbalance sensitivity in complex rotor systems RM531
Kochhar, A K
A self-tuning control strategy for gas-fired glass forehearths B143
Prediction of the system efficiency of balanced automatic transfer lines B51
Konno, T Remote cutting systems for dismantlement of the Japan power demonstration reactor concrete biological shield RF223
Köpf, P Traction control of passenger cars by electronically controlled axle locking features TC83
Krämer, E Comparison between computed and measured vibrations of turbomachines RM411
Krishna, V A model for combustion losses in a pulverized fuel fired power plant boiler A215

© IMechE 1989

Krol, A A A comparison of the application of 'energy from municipal solid waste' technology in three countries—the United Kingdom, Sweden and Canada PW75
Krusche, H Stability and traction control for four-wheel-drive passenger vehicles TC49
Krynicki, K Effect of bearing alignment on stability threshold and post- stability behaviour of rotor–bearing systems RM311
Kuhla, E Development of new high-speed motor train units to be operated on the German Federal Railway network *(discussion)* D140, D141
Kumar, S Flame propagation in a high-speed variable swirl spark ignition engine CE43
Kuo, Y W A microcomputer-based vibration diagnostic system for steam turbines and generators RM455
Kurabayashi, T Laser Doppler anemometer measurement of gas flow in the wedge-type combustion chamber of a two-cycle spark ignition engine CE213
Kuroki, J Handling and stability improvement achieved with four-wheel steering AS191
Kuwahara, H Laser Doppler anemometer measurement of gas flow in the wedge-type combustion chamber of a two-cycle spark ignition engine CE213
Kyriakides, S C A study of the correlation between in-cylinder air motion and combustion in gasoline engines CE195

Lai, C C An expert system interface to a suite of rotordynamics programs RM621
Lalor, N
The prediction and reduction of noise from engine covers using energy methods VN159
The prediction of engine noise reduction by using shields and partial enclosures and the optimization of their design VN117
Lambe, S M Flame propagation in a high-speed variable swirl spark ignition engine CE43
Lane, G Modelling and monitoring of performance of lubricants for marine diesel engines EM49
Lapray, J-F Effect of suction duct design on the performance of mixed- flow pump at partial flow PLP25
Large, J H Decommissioning of major radioactive facilities RF241
Lau, K S A novel valve for semi-active vehicle suspension systems AS69
Lawes, M Limitation to turbulence-enhanced burning rates in lean burn engines CE17
Lawson, M R Structural loads due to surge in an axial compressor RM117
Lee, C O Stability analysis of a load-sensing hydraulic system A79
Lee, C-W
Travelling wave control of rotating discs and analysis of its spillover effect C119
Unbalance response analysis of rotor bearing systems with spin speed dependent parameters RM539
Lee, K Windscale advanced gas-cooled reactor core restraint band removal RF55
Lees, A W
Identification of turbomachinery foundations from run-down records—a preliminary experimental study RM201
The least squares method applied to identify rotor-foundation parameters RM209
Le Fur, B The influence of occluded or dissolved air contained in water on pump cavitation PLP97
Leibundgut, E Prediction and measurement of vibrations of pump rotors RM435
Leong, M S Problems associated with low frequency vibrations induced by rotating ride equipments RM561
Leung, P S An analysis of the steady state and dynamic characteristics of a cylindrical-spherical floating ring bearing RM349
Leuridan, J Use of principal component analysis for dominant noise source identification VN123
Lewis, L V Leakage through loaded flat-flanged joints without gasket A1
Li, D-X Turbogenerator layout for optimal dynamic response—a study and a case history RM427
Li, K Y The lubrication of overclamped slippers in axial piston pumps - centrally loaded behaviour C287
Lipscombe, B R The reduction of gear pump pressure ripple (*discussion*) B61
Lissel, E Anti-slip-regulator system (ASR) with high performance and comfort TC69
Lizell, M Semi-active damping AS83
Lois, E Fuel structure effects on the performance and emissions of spark ignition engines CE253
Longley, J W Some compositional effects in the static and dynamic properties of commercial vehicle disc brakes DB31
Löschhorn, U The total dismantlement of the Niederaichbach nuclear power plant RF21
Lourme, P French processes for waste embedding—the use of epoxy resin for waste containment RF167
Lowe, P J The remodelling of Crewe machine shops: the OPUS programme D265
Lugner, P Theoretical investigations on the behaviour of a car with additional four-wheel steering at μ-split conditions AS181
Luk, R The design and development of a non-contact printer for product coding B87
Lund, J W Impact excitation tests of a rotor supported in ball-bearings RM223
Lung, F K K Internal and atmospheric leakage assessment and intergate overpressurization of isolation valves A45
Luria, D Agility and manoeuvrability as passive defence for armoured vehicles D365
Lyle, C D The integration of noise control in plant design—a review A53

Ma, T
Cold start performance of SI engines EM85
Computer simulation of an Otto–Atkinson cycle engine with variable timing multi-intake valves and variable compression ratio CE273
Flame speed standardization between cylinders by feedback control of individual fuel injector pulse width CE31
Ma, X Prediction of the system efficiency of balanced automatic transfer lines B51
McArthur, G M Training placements for sandwich students in small companies: the Group Scheme for technologist industrial training at Bradford University 1972-87 B29
McBride, A K Interpretation of strain gauge results for gas turbine engines with the aid of finite element analysis RM177
McCallum, J Engineering disc brakes onto a light commercial vehicle DB115
McConnell, T A Sewage pump efficiency and noise at part-load PLP89

© IMechE 1989

McDonald, I A A flexible approach to manufacturing at JCB International Transmissions Limited HS77
McDowell, C G Use of intelligent pallets in the Personal System 2 test process HS113
McEwen, D Flow analysis and part-load performance of model mixed-flow pumps PLP83
McGovern, J A
Approximate analysis of feed and district heating cycles for steam combined heat and power plant *(discussion)* A211
The application of steam to combined heating, power, and cooling plant RS27
McGuire, P M The development and practical application of rotordynamic analysis techniques for large steam turbine generators RM655
Machida, N Experimental study for development of thermic lance cutting method RF193
McIvor, J D C An evaluation of eight-node quadrilateral finite elements for the analysis of a dynamically loaded hydrodynamic journal bearing C95
McKenzie, A B The selection of fan blade geometry for optimum efficiency A39
McKinlay, W P Vehicle noise source identification techniques VN1
MacLaurin, E B Wheel-spin control for on/off-road vehicles TC33
McLellan, R G Requirements of friction materials in commercial vehicle disc brake applications DB9
Macleod, J Influence of flow in pulsation simulation of gas pipeline installations GLP89
MacMillan, C G Elimination of parcel damage from conveyor systems HS71, B255
Maddock, P L The influence of engineering on the visual design of a high-speed train RV9
Magdy, M A A simple algorithm for self-tuning control of low-order models C301
Major, S J Victorian steam—a gaseous perspective RS1
Malam, D Achieving exacting vibration and noise environments for microelectronics clean rooms CR43
Mallog, J In-cylinder flow analysis as a practical aid in the development of internal combustion engines CE235
Mambretti, F N Tyre noise simulation at computer VN175
Manenti, A Non-linear effects in lubricated bearings RM365
Manetti, S A new system to simulate the influence of pressure pulsation on reciprocating compressors valve behaviour GLP1
Mank, K D Heavy duty disc brakes—future design parameters, based on field experience from various European applications DB151
Manley, B J W Where there's muck there's gas PW9
Manoy, R Passenger comfort on British Railways Networker RV155
Manton, S M Engineering for quality B63
Marenco, G 'Wet critical speeds' of boiler feed pump beyond the pump operational range RM265
Margetts, H G In-wheel parking for truck disc brakes DB71
Marquand, C J Experimental and theoretical investigation of mixed and stratified hot water storage tanks C187
Marriott, M A Automatic identification—eyes for the computer HS49
Marriott, R P Life extension of steam turbine rotors on the basis of design reassessment HTP27
Marscher, W D Subsynchronous vibration in boiler feed pumps due to stable response to hydraulic forces at part-load PLP167
Marshall, P H The evolution of traction aids for passenger cars TC47
Martin, R Part-load operation of the boiler feedwater pumps for the new French PWR 1400 MW nuclear plants—a challenge for the designer PLP123
Marynowski, K P On the natural frequencies and stability of a Laval rotor subjected to follower force RM333
Massingberd-Mundy, P The design and development of a non-contact printer for product coding B87
Mastinu, G Passive automobile suspension parameter adaptation AS51
Matan, E Landfill methane gas utilization—electricity power generation PW59
Matsushita, O Stabilization by cross stiffness control of electromagnetic damper for contained liquid rotor unstable vibration RM77
Meier, H-O A fixed caliper disc brake for commercial vehicles up to 8 tonnes GVW DB53
Meller, T Variable damping—philosophy and experiences of a preferred system AS113
Mertens, F Disc brake reliability, durability, maintainability and drivers' experience DB139
Metcalf, M J Internal and atmospheric leakage assessment and intergate overpressurization of isolation valves A45
Meyers, H Decommissioning project of the former Eurochemic reprocessing plant at Dessel RF77
Micke, S A new proposal for the theoretical prediction of vehicle traction and its link to vehicle braking TC141
Migliorini, R V The increasing importance of accurate and repeatable steam flow measurement and its relevance to reducing unaccountable losses RS19
Miles, J C Packaging and transport of decommissioning waste RF185
Millard, A CASTEM 2000: a modern approach of computerized structural analysis HTP13
Miller, C E The decommissioning of eight graphite-moderated reactors RF11
Miller, L R The effect of hardware limitations on an on/off semi-active suspension AS199
Milloy, C J Packaging and transport of decommissioning waste RF185
Milne, J S The effect of pressure gradient and freestream turbulence intensity on the length of transitional boundary layers C195
Minegishi, H A traction control system for use in rear-wheel-drive vehicles with automatic transmissions TC61
Misovec, K M Active synchronous response control of rigid-body rotors RM33
Missori, S Optimizing proportions of railway brake discs by temperature transients evaluation D91
Mistry, K N An electro-hydraulic valve operating system for engine research and development EM25
Mitchell, J R Development of new high-speed motor train units to be operated on the German Federal Railway network *(discussion)* D140, D141
Mittermayr, P Theoretical investigations on the behaviour of a car with additional four-wheel steering at μ-split conditions AS181
Miwata, Y Swirl motion analysis in a spherical combustion chamber CE165
Miyazaki, H A traction control system for use in rear-wheel-drive vehicles with automatic transmissions TC61
Monaghan, M L Engine friction—a change in emphasis D215
Montjoie, M An example of power reactor cooling circuit decontamination RF127
Moore, J H Linear variable inductance position transducer for suspension systems AS75

© IMechE 1989

Morris, R L Application of air disc brakes for European high-speed coaches DB79
Morton, P G The effect of thermal distortion on the characteristics of large hydrodynamic bearings C219
Moss, H D T Landfill gas abstraction and commercial use PW47
Moss, P J The use of viscous couplings to alleviate transmission wind-up in military vehicles when driven on-road TC23
Mottershead, J E Identification of turbomachinery foundations from run-down records—a preliminary experimental study RM201
Mouri, H Handling and stability improvement achieved with four-wheel steering AS191
Mroszczyk, J W Conservative and non-conservative coupling in dynamic systems RM567
Muc, A Buckling of fibre-reinforced plastic–steel torispherical shells under external pressure C409
Muneer, T
Estimation of daily inclined surface solar irradiation—an anisotropic model C333
Further refinement of an anisotropic model for inclined surface solar irradiation C67
Munz, D Crack propagation under thermal cyclic loading HTP85
Murphie, W E Decommissioning programme experience by the United States Department of Energy's surplus facilities management programme RF43
Muszynska, A Effects of loose rotating parts on rotordynamics RM573

Nagata, A Stabilization by cross stiffness control of electromagnetic damper for contained liquid rotor unstable vibration RM77
Najm, H On the optimum utilization of water hammer A249
Nakamoto, M Effect of four-wheel steering system on vehicle yawing motion AS171
Nakamura, H Remote cutting systems for dismantlement of the Japan power demonstration reactor concrete biological shield RF223
Nakano, M Radiation analysis of sound and attenuation simulation VN133
Nakashima, K The effects of intensification of local premixing on direct injection stratified-charge combustion process CE85
Nakayama, Y Experimental study on balancing of flexible rotor by torsional excitation RM505
Nanjo, H Cavity cloud formation and generation of stringy damage patterns in a polymer solution C263
Narazaki, T Remote cutting systems for dismantlement of the Japan power demonstration reactor concrete biological shield RF223
Naylor, E Landfill gas—the potential for profit PW51
Neilson, R D
Dynamics of a rigid rotor mounted on discontinuously non-linear elastic supports C369
Response of two elastically supported rigid rotors sharing a common discontinuously non-linear support RM589
Neilson, T C Thermally induced unbalance of generator rotors due to blocked gas cooling ducts RM547
Neumer, T The influence of torsional-lateral-coupling in geared rotor systems on its eigenvalues, modes and unbalance vibrations RM279
Newcomb, T P Jaguar XK120 D163
Nielsen, O B The interaction of liquid and gaseous fuels in the dual fuel engine CE181
Nilsson, H Submarine power systems using the V4-275R Stirling engine A257
Nimmo, W Fundamentals of auto-ignition in reciprocating engines CE25
Noble, I A Design of an automatic guided vehicle system HS21
Nolan, S Clearance effects on leakage and rotordynamic coefficients of smooth, liquid annular seals RM371
Nordmann, R
Finite difference analysis of rotordynamic seal coefficients for an eccentric shaft position RM379
The influence of seals on the dynamics of turbopumps RM259
The influence of torsional-lateral-coupling in geared rotor systems on its eigenvalues, modes and unbalance vibrations RM279
Nunez, D Clearance effects on leakage and rotordynamic coefficients of smooth, liquid annular seals RM371
Nuri, K A The elastic-plastic contact of rough surfaces and its relevance in the study of wear C269

Obokata, T Laser Doppler anemometer measurement of gas flow in the wedge-type combustion chamber of a two-cycle spark ignition engine CE213
Ochsner, K Part-load performance of inducer pumps PLP105
Ocvirk, N Integrated traction control function—the consequent extension of highly sophisticated anti-lock systems TC103
O'Donnell, W J Proposed new ASME code rules for elastic creep-fatigue evaluations HTP65
Okamura, H Dynamic stiffness matrix method for the three-dimensional analysis of crankshaft vibrations VN95
Okita, T One-dimensional finite element analysis of multiple-pad pressure dam bearings RM359
Olausson, H-L Calculation of unbalance sensitivity in complex rotor systems RM531
O'Neill, J The combustion of waste in fluidized bed boilers—two case histories PW109
Ono, K Experimental study on balancing of flexible rotor by torsional excitation RM505
Organ, A J Two-dimensional thermodynamic and flow analysis of the simple hot-air engine C31
Orlowski, M Microprocessor-controlled automatic balancing systems RM109
Osada, T A study on non-steady stability of a rotor–journal bearing system—stability of the 360° short bearing RM317
O'Shea, M E Integrated control of automated handling systems HS107
Ososanya, E T The development of production monitoring systems B177
O'Toole, F
Approximate analysis of feed and district heating cycles for steam combined heat and power plant *(discussion)* A211
The application of steam to combined heating, power, and cooling plant RS27
Otte, D Use of principal component analysis for dominant noise source identification VN123
Ounzain, A Experimental methods for investigating the transient heating and emissions of an SI engine during the warm-up period EM101

© IMechE 1989

Pace, S E Prediction and measurement of vibrations of pump rotors RM435
Palmer, G A biotechnology research facility case study CR35
Pan, D Automatic formulation of dynamic equations of motion of robot manipulators C397
Panesar, A The results of recent experiments on unburnt hydrocarbons CE261
Pang, S W Diesel emissions reduction using a catalyst and water scrubber for underground mine applications A233
Papachristos, M Fuel structure effects on the performance and emissions of spark ignition engines CE253
Parker, G A A novel valve for semi-active vehicle suspension systems AS69
Parker, P D Aspects of safety in an advanced handling system HS63, B247
Parker, R J Structural loads due to surge in an axial compressor RM117
Parmee, K Gearing up for the future—a story of commercial vehicle transmission development D71
Parry, W W Jr Computer prediction of reciprocating pump NPSH and the effects of acoustic pulsations GLP59
Parszewski, Z A
Effect of bearing alignment on stability threshold and post-stability behaviour of rotor–bearing systems RM311
Turbogenerator layout for optimal dynamic response—a study and a case history RM427
Partridge, I M Improvements to indirect injection diesel combustion CE93
Patel, B M Manufacturing quality assurance—a systematic and logic approach to effective engineering management B107
Patel, M H A finite element approach to the aeroelastic analysis of flexible rotors attached to flexible supports RM615
Paveley, H A comparison of the cost characteristics of modern parts storage and handling systems HS125
Peach, M J Chemical decontamination for decommissioning RF151
Pearce, P T A practical intelligent damping system AS141
Peat, K S Insertion loss of engine intake and exhaust silencers VN39
Pecot, D The influence of occluded or dissolved air contained in water on pump cavitation PLP97
Penny, J E T An analysis of combined squeeze-film and variable stiffness hydrostatic bearings, and their use in aircraft engine vibration control RM85
Perrott, E H
Engineering design of the Windscale advanced gas-cooled reactor decommissioning machine and robotic manipulator RF229
The development programme for the decommissioning of the Windscale advanced gas-cooled reactor RF201
Person, M
Dynamic behaviour of the Laval rotor with a cracked hollow shaft—a comparison of crack models RM463
The dynamics of n-bladed propellers with arbitrarily positioned hinges under the influence of aerodynamic forces RM163
Petch, G S
A comparison of diesel engine exhaust emissions collected by an environmental protection agency recommended dilution tunnel/filter with the sample from a new solvent scrubbing system CE135
The use of radiolabelled polycyclic aromatic hydrocarbon fuel components to investigate diesel engine emissions CE127
Petersen, E ABS with integrated drive slip control (ASR) for air-braked commercial vehicles—modular concept, functional principles, performance TC123
Petrone, F Non-linear effects in lubricated bearings RM365
Pettitt, R A Noise reduction of a four litre direct injection diesel engine VN75
Phillips, A V Prediction of engine vibration from combustion pressure measurements and examination of the effect of combustion variations in the frequency domain VN147
Phillips, B D A An electro-hydraulic valve operating system for engine research and development EM25
Pickard, A C Design and life assessment of aeroengine components HTP37
Picken, D J A comparison of the economics of using biogas for heating, electricity generation or vehicle propulsion PW67
Pickering, R B Superalloys II: high temperature materials for aerospace and industrial power *(book review)* C145
Pickering, S J Industrial combined heat and power: investment, savings and decision making A23
Pickles M Vehicle noise source identification techniques VN1
Plimon, A The application of optical methods in the investigation of fuel injection phenomena EM127
Plunkett, J J Case studies of quality-related costing in engineering manufacture B99
Polak, P The reduction of gear pump pressure ripple (*discussion*) B61
Ponter, A R S Interaction diagrams for use in the construction of design codes and the assessment of axisymmetric thin shells subjected to cyclic thermal loading HTP7
Porkess, A M Quiet heavy vehicles for the 1990s—the QHV90 project progress report VN13
Porter, A G Interaction diagrams for use in the construction of design codes and the assessment of axisymmetric thin shells subjected to cyclic thermal loading HTP7
Porter, K D A case study of the application of computer simulation to automated storage and handling systems HS145
Potter, A F Landfill methane gas utilization—electricity power generation PW59
Poulain, J Part-load operation of the boiler feedwater pumps for the new French PWR 1400 MW nuclear plants—a challenge for the designer PLP123
Preston-Thomas, J Investigation into the effects of suspension characteristics and design parameters on the performance of tracked vehicles using an advanced computer simulation model D143
Price, M S T Packaging and transport of decommissioning waste RF185
Price, D W The development and practical application of rotordynamic analysis techniques for large steam turbine generators RM655
Pride, C J Application of air disc brakes for European high-speed coaches DB79
Priestman, G H Fuel structure effects on the performance and emissions of spark ignition engines CE253
Primrose, P L Financial justification of CAD/CAM CC1
Pugh, M P The role of mathematical models in evaluating the provision of waste treatment facilities PW1
Pundhir, D S A study of some factors affecting the performance of a contra-rotating axial compressor stage A15

© IMechE 1989

Qu, Y Optimizing the co-generation coefficient in district heating and the co-generation of heat and electricity A243
Quayle, R S Assessment of a strategy for optimum control of ignition advance angle D1

Rahman, A R Digital simulation for analysis and control of pressure pulsations in pipework systems GLP49
Rahn, T Development of new high-speed motor train units to be operated on the German Federal Railway network D125; *(discussion)* D140
Rahnejat, H A non-contact opto-electronic sensing device for precision linear and angular positioning of robotic manipulators B261
Rajabu, H Computer simulation of an Otto–Atkinson cycle engine with variable timing multi-intake valves and variable compression ratio CE273
Ramachandra Rao, V T V S Computer modelling of temperature distribution in brake drums for fade assessment D257
Ramamurthy, A S Evaluation of cavitation damage characteristics using a profilometer C341
Ramarajan, V Off-design performance of a mixed-flow pump PLP13
Ramasubramanian, H Computer modelling of temperature distribution in brake drums for fade assessment D257
Ramirez, I Friction of aramid fibre composites DB15
Ramli, M D Experimental determination of squeeze-film dynamic coefficients by a frequency domain method C235
Ranganathan, Y Evaluation of cavitation damage characteristics using a profilometer C341
Rao, J S Dynamic response of a dual-rotor system by extended transfer matrix method RM599
Rashidi, M Improvement to prediction accuracy of stability limits and resonance amplitudes using instability-threshold-based journal bearing rotordynamic coefficients RM235
Rautenberg, M Partial flow performance comparisons of semi-open and closed centrifugal impellers PLP35
Refael, S Agility and manoeuvrability as passive defence for armoured vehicles D65
Ren, H R An improved least squares method for calculating balancing correction masses RM499
Renowden, P S Measurements and reduction of spark ignition fuel injector noise VN87
Rhead, M M
A comparison of diesel engine exhaust emissions collected by an environmental protection agency recommended dilution tunnel/filter with the sample from a new solvent scrubbing system CE135
The use of radiolabelled polycyclic aromatic hydrocarbon fuel components to investigate diesel engine emissions CE127
Rhodes, D M Prediction of engine vibration from combustion pressure measurements and examination of the effect of combustion variations in the frequency domain VN147
Richmond, J W Traction in elastohydrodynamic contacts C129
Rieger, N F
Gas dynamic damping properties of steam turbine blades RM135
The transient response of a three-level rotor system subjected to a seismic environment RM635
Rihak, P Bimodal (complex) balancing of large turbogenerator rotors having large or small unbalance RM479
Riley, P Training and skills for computer aided design and draughting B115
Rivin, E I A low noise gear transmission VN109
Rix, D H
A thermodynamic design simulation for Stirling cycle machines using a Lagrangian formulation C85
The design and initial testing of a prototype Stirling cycle heat pump C431
Rizk, M Spool hydraulic stiffness and flow force effects in electrohydraulic servo-valves *(erratum)* C72
Roach, M P An analysis of combined squeeze-film and variable stiffness hydrostatic bearings, and their use in aircraft engine vibration control RM85
Roberts, J B Experimental determination of squeeze-film dynamic coefficients by a frequency domain method C235
Robertson, J R The application of CAD/CAM in Weir Pumps Limited CC31
Robson, B T Fully automatic, unmanned solid and multi-fuel shell boilers RS7
Roe, M J Electric Bo–Bo–Bo locomotives for New Zealand Railways D21
Roith, O Technology, economic growth and the professional engineer B1
Rose, R T Shakedown design methods for high temperatures HTP1
Rothen, J ABS with integrated drive slip control (ASR) for air-braked commercial vehicles—modular concept, functional principles, performance TC123
Rouyer, J L A new manipulator under development in France RF209
Ruocco, R Towards automated assembly using flexible robotic assembly cells, transputers and expert systems HS119
Russell, M F An analyser to estimate subjective reaction to diesel engine noise VN29
Rzadkowski, R Free vibration of the mistuned bladed disc RM151

Sahinkaya, M N Control stategies for use with magnetic bearings RM23
St Johnston, A Software implementation procedures for advanced handling systems computer control systems HS101
Saitoh, I Stabilization by cross stiffness control of electromagnetic damper for contained liquid rotor unstable vibration RM77
Sala, T French processes for waste embedding—the use of epoxy resin for waste containment RF167
Salisbury, A G A review of CAE techniques for rotodynamic pumps CC9
Salm, J Active electromagnetic suspension and vibration control of an elastic rotor with a signal processor RM101
Salter, S Internal and atmospheric leakage assessment and intergate overpressurization of isolation valves A45
Saluja, G S Estimation of daily inclined surface solar irradiation—an anisotropic model C333
Sambrook, E C In-wheel parking for truck disc brakes DB71
Sanderson, A F P Turbine generator trim balancing using optimized least squares methods RM491
Sandford, M H An experimental assessment of instantaneous heat transfer within a highly rated DI truck engine EM159
Sano, M Reduction of pressure pulsations in pumps and piping systems GLP41
Sarma, K V B Dynamic response of a dual-rotor system by extended transfer matrix method RM599

© IMechE 1989

Sas, P Use of principal component analysis for dominant noise source identification VN123
Sato, H Unstable vibration of a rotor with a transverse crack RM647
Savage, M D Two-dimensional elastohydrodynamic lubrication
Part 1: the associated dry contact problem C347
Part 2: solution of the line contact problem C354
Sawyer, R A Proceedings of the Eighth Conference on Fluid Machinery (*book review*) C377
Schicht, H H Clean room technology—the concept of total environmental control for advanced industries CR1
Schlegel, R The unique W+E concept for energy from waste PW89
Schliermann, E G High-efficiency steam turbines for co-generation in industrial and heating pump plants RS65
Schneider, H Balancing of jet engine modules RM523
Schoeneck, K A
Analysis and test results of two centrifugal compressors using active magnetic bearings RM93
Evaluation of liquid and gas seals for improved design of turbomachinery RM387
Schramm, H Traction control for commercial vehicles, design goals and field experience TC113
Schramm, W A practical approach towards advanced semi-active suspension systems AS93
Schulze, B G Anti-slip-regulator system (ASR) with high performance and comfort TC69
Schwibinger, P The influence of torsional-lateral-coupling in geared rotor systems on its eigenvalues, modes and unbalance vibrations RM279
Scott, T G Aspects of industrial design in passenger vehicles RV33
Seale, W J Training placements for sandwich students in small companies: the Group Scheme for technologist industrial training at Bradford University 1972-87 B29
Seals, R Towards automated assembly using flexible robotic assembly cells, transputers and expert systems HS119
Seemann, W On critical speeds of rotating discs RM185
Seetharamu, K N Computer modelling of temperature distribution in brake drums for fade assessment D257
Segal, M G Decontamination of Magnox boilers RF131
Seiffert, U The motor vehicle's contribution towards achieving improvement in air quality D187
Sendell, A The design and development of a non-contact printer for product coding B87
Senger, K-H A velocity dependent steering gear ratio for four-wheel steered vehicles AS165
Senior, D J H Docklands Light Railway—a passenger view RV163
Shahabadi, A R Jet mixing shear layer combustion: an ultra-low NO_x system for natural-gas-fired gas turbines CE245
Shams, I A non-contact opto-electronic sensing device for precision linear and angular positioning of robotic manipulators B261
Shamsolahi, S Flow analysis and part-load performance of model mixed-flow pumps PLP83
Sharma, P B
A model for combustion losses in a pulverized fuel fired power plant boiler A215
A study of some factors affecting the performance of a contra-rotating axial compressor stage A15
Sharp, R S
Automatic formulation of dynamic equations of motion of robot manipulators C397
Controlled rear steering for cars—a review AS149
Performance predictions for a pneumatic active car suspension system D243
Shaw, A G Providing for disabled people RV177
Shayler, P J
Cold start performance of SI engines EM85
Engine tests for carburetted intake manifold development EM93
Exhaust gas ionization sensor for spark ignition engines CE173
Sheldon, R Consumer response to design trade-offs RV97
Sheppard, C G W Limitation to turbulence-enhanced burning rates in lean burn engines CE17
Sher, E Agility and manoeuvrability as passive defence for armoured vehicles D65
Sherrington, I The measurement of piston-ring friction by the 'floating liner' method EM1
Sherwin, C Wind noise evaluation using a closed circuit climatic wind tunnel VN55
Shields, S A The determination of diesel engine friction characteristics by electronic cylinder disablement EM13
Shima, A Cavity cloud formation and generation of stringy damage patterns in a polymer solution C263
Shimamoto, Y Induction swirl in a multiple intake valve engine—three-dimensional numerical analysis CE73
Shimmings, G F The specification of advanced handling systems HS139
Shinno, A Dynamic stiffness matrix method for the three-dimensional analysis of crankshaft vibrations VN95
Shipley, R The combustion of waste in fluidized bed boilers—two case histories PW109
Shute, M Industrial combined heat and power: investment, savings and decision-making A23
Sili, A Optimizing proportions of railway brake discs by temperature transients evaluation D91
Simic, M Development of a new family of passenger coaches on the Yugoslav railways RV57
Sims, C T Superalloys II: high temperature materials for aerospace and industrial power *(book review)* C145
Sindano, H Modelling of injected fuel film development and evaporation in a wall-wetting direct injection diesel engine CE59
Singer, A J Supplier quality assurance systems: a study in the nuclear industry B205
Singh, M P A probabilistic analysis of mistuned bladed turbine disc RM143
Sivasegaram, S Combustion oscillations in dump combustors with a constricted exit C205
Skelly, T B Pressure pulsations generated by rotary lobe positive displacement pumps GLP23
Skelton, R L Chemical decontamination for decommissioning RF151
Smalley, A J Dynamic loading and response of reciprocating compressor bearings RM341
Smeulers, J P M Simulation of flow dynamics in pipe systems GLP97
Smith, E H The measurement of piston-ring friction by the 'floating liner' method EM1
Smith, J D
A modular system for transmission error measurement C439
Identification of small amplitude resonances in rotary digital systems C63
Smith, P K J Engineering design of the Windscale advanced gas-cooled reactor decommissioning machine and robotic manipulator RF229

© IMechE 1989

Smith, P N Gas flow noise and pressure loss in heavy vehicle exhaust systems VN47
Sogabe, K Dynamic stiffness matrix method for the three-dimensional analysis of crankshaft vibrations VN95
Sorenson, S C The interaction of liquid and gaseous fuels in the dual fuel engine CE181
Soundranayagam, S Off-design performance of a mixed-flow pump PLP13
Speer, D R Decontamination and decommissioning of a fuel reprocessing pilot plant RF139
Spencer, P E J Power operated passenger door systems RV103
Sperring, P D Warehouse control systems HS95
Spöhrer, W Development of new high-speed motor train units to be operated on the German Federal Railway network D125; (*discussion*) D140
Spurr, R T Jaguar XK120 D163
Srinath, K Vibratory conveying by non-sinusoidal excitation C405
Stamm, H Crack propagation under thermal cyclic loading HTP85
Stanmore, L K Field problems relating to high-energy centrifugal pumps operating at part-load PLP109
Stanway, R Identification of turbomachinery foundations from run-down records—a preliminary experimental study RM201
Stark, B C Unstable behaviour of a centrifugal pump operating at part-load PLP131
Stayner, R M Suspensions for agricultural vehicles AS133
Stentiford, E I Refuse derived fuel—improved profitability by composting the fines residue PW31
Stephenson, J A A high-speed direct injection diesel engine for passenger cars A171
Stoloff, N S Superalloys II: high temperature materials for aerospace and industrial power *(book review)* C145
Stone, C R The efficiency of Roots compressors and compressors with fixed internal compression A199
Stournas, S Fuel structure effects on the performance and emissions of spark ignition engines CE253
Street, A Landfill gas—the potential for profit PW51
Struss, R G Decommissioning of a 5 MW research reactor RF51
Studzinski, W Influence of flow in pulsation simulation of gas pipeline installations GLP89
Stüerchler, R Prediction and measurement of vibrations of pump rotors RM435
Subbiah, R The transient response of a three-level rotor system subjected to a seismic environment RM635
Suen, K O A laser-anemometry system for the investigation of in-cylinder flows EM151
Sugasawa, F Handling and stability improvement achieved with four-wheel steering AS191
Sung, Y C C The prediction of engine noise reduction by using shields and partial enclosures and the optimization of their design VN117
Swanenburg de Veye, R J The dismantling of active plant at the Petten high flux reactor RF33
Swithenbank, J Fuel structure effects on the performance and emissions of spark ignition engines CE253
Szabó, Á Proceedings of the Eighth Conference on Fluid Machinery (*book review*) C377

Taio, M Towards automated assembly using flexible robotic assembly cells, transputers and expert systems HS119
Tajima, H The effects of intensification of local premixing on direct injection stratified-charge combustion process CE85
Takagi, M Stabilization by cross stiffness control of electromagnetic damper for contained liquid rotor unstable vibration RM77
Takata, T Measurement of the transfer matrix of a prototype multi-stage centrifugal pump PLP137
Takeuchi, T Measurement of the transfer matrix of a prototype multi- stage centrifugal pump PLP137
Tam, I Data acquisition system and instrumentation for monitoring lean burn combustion on an SI engine EM119
Tam, I C K The influence of swirl and fuel type on mass burning rates in spark ignition engines CE35
Tamke, K High-efficiency steam turbines for co-generation in industrial and heating pump plants RS65
Tamura, A Unstable vibration of a rotor with a transverse crack RM647
Tanaka, M The Japan power demonstration reactor decommissioning programme RF25
Tanaka, T An idea about the backflow phenomena and their relationship with the internal flow condition of turbomachinery PLP41
Tassou, S A Experimental and theoretical investigation of mixed and stratified hot water storage tanks C187
Taureg, H Application of viscous couplings for traction control in passenger cars TC151
Taylor, G Unstable behaviour of a centrifugal pump operating at part- load PLP131
Tee, T K Identification of turbomachinery foundations from run-down records—a preliminary experimental study RM201
Thelen, D Unbalance and vibration control in a large geotechnical centrifuge RM555
Thomas, P J Decommissioning the Windscale advanced gas-cooled reactor—a demonstration project for UK reactors RF1
Thomas, D L In-service vibration levels on large turbine generators RM411
Thomas, G B An expert system interface to a suite of rotordynamics programs RM621
Thomas, R C An expert system interface to a suite of rotordynamics programs RM621
Thomas, T R Direct cylinder bore surface measurement during engine operation EM59
Thompson, G
Perception of plant design A207
Windscale advanced gas-cooled reactor core restraint band removal RF55
Thompson, M C Straw as a fuel PW19
Thoms, E Disc brakes for heavy vehicles DB133
Thorne, E W Head and power at closed valve PLP7
Tillen, K G Structural loads due to surge in an axial compressor RM117
Tillotson, H S Where there's muck there's gas PW9
Timoney, D J A simple interpretation of optimum swirl in direct injection diesels CE157
Timoney, E P
Heavy duty disc brake application experience DB97
Heavy vehicle independent suspension AS125
Timoney, S G
Heavy duty disc brake application experience DB97
Heavy vehicle independent suspension AS125
Timoney, S S
Heavy duty disc brake application experience DB97
Heavy vehicle independent suspension AS125
Tindal, M J A method of investigating flows in inlet ports of complex shape CE51
Tirovic, M Flexural effects in commercial vehicles' disc brake pads DB47

© IMechE 1989

Todorovic, J Flexural effects in commercial vehicles' disc brake pads DB47
Toft, L A Project management—a personal view B19
Tomlinson, G R A procedure for identifying non-linearity in rigid rotors supported in hydrodynamic and ball/roller bearing systems RM229
Tomlinson, S J Project management—the vital ingredient HS149
Tonnesen, J Impact excitation tests of a rotor supported in ball-bearings RM223
Towch, B W Noise reduction of a four litre direct injection diesel engine VN75
Trier, C J A comparison of diesel engine exhaust emissions collected by an environmental protection agency recommended dilution tunnel/filter with the sample from a new solvent scrubbing system CE135
Truscott, G The flow field at the tip of an impeller at off-design conditions PLP51
Tsujino, T Cavity cloud formation and generation of stringy damage patterns in a polymer solution C263
Tsuzuki, K A numerical method of analysing dilute gas-particle flows in clean rooms CR61
Turnbull, J B Strategies for the vibration analysis of a large turbocharger RM193
Turner, C A comparison of the cost characteristics of modern parts storage and handling systems HS125
Turton, R K A review of CAE techniques for rotodynamic pumps CC9
Tweedale, P J Friction of aramid fibre composites DB154
Tyler, J W Quiet heavy vehicles for the 1990s—the QHV90 project progress report VN13
Tyrrell, R J Engine noise—practicalities and prediction, Part 3: noise prediction using the boundary element method VN139

Ulbrich, H An active support system for rotors with oil-film bearings RM61

Vallini, A Some in-field experiences of non-repeatable behaviour in the dynamics of rotating machinery RM395
van Campen, D H The dynamics of a rotor with rubbing RM297
Vania, A A method to identify the foundation modal parameters through measurements of the rotor vibrations RM217
Velonias, S G High-cycle fatigue of shafts due to starting transients in drive systems D201
Ventham-Smith, P Can passengers design trains? RV73
Verdonk, G Part-load operation of the boiler feedwater pumps for the new French PWR 1400 MW nuclear plants—a challenge for the designer PLP123
Verhoeven, J J
Practical considerations on the rotordynamic behaviour and design of multi-stage pumps RM247
Unsteady hydraulic forces in centrifugal pumps PLP153
Verpeaux, P CASTEM 2000: a modern approach of computerized structural analysis HTP13
Verry, A Part-load operation of the boiler feedwater pumps for the new French PWR 1400 MW nuclear plants—a challenge for the designer PLP123
Vertman, S Forced convection air cooling of an array of electronic modules using the finite element method to analyse module heat transfer C321
Vethecan, J K Noise cancellation techniques in motor vehicles VN167
Vogel, C The influence of seals on the dynamics of turbopumps RM259
Volz, P Integrated traction control function—the consequent extension of highly sophisticated anti-lock systems TC103
von Bertele, O Part-load performance of inducer pumps PLP105
von Glasner, E C
Improvement of the braking performance of heavy duty commercial vehicles by using disc brakes DB105
Improvements in traction and stability performance as seen by the commercial vehicle manufacturer TC13
Votsis, P P Experimental and theoretical investigation of mixed and stratified hot water storage tanks C187

Wakefield, J R
The development of a packaging and disposal system for the Windscale advanced gas-cooled reactor RF159
The development programme for the decommissioning of the Windscale advanced gas-cooled reactor RF201
Wakisaka, T Induction swirl in a multiple intake valve engine—three-dimensional numerical analysis CE73
Wale, G D The effect of thermal distortion on the characteristics of large hydrodynamic bearings C219
Walker, J C The effect of vehicle/tyre/road interaction on external and internal vehicle noise VN65
Wallentowitz, H Stability and traction control for four-wheel-drive passenger vehicles TC49
Wallington, J W Energy recovery from refuse incineration in the National Health Service PW101
Walton, D Pressure pulsations generated by rotary lobe positive displacement pumps GLP23
Wang, C H T Improvements to indirect injection diesel combustion CE93
Wang, F The diagnosis of faults of a turbine set RM405
Wang, Y B Theoretical research, calculation and experiments of cracked shaft dynamic response RM473
Ward, D M Thermally induced unbalance of generator rotors due to blocked gas cooling ducts RM547
Wardle, F P Vibration forces produced by waviness of the rolling surfaces of thrust loaded ball bearings
Part 1: theory C305
Part 2: experimental validation C313
Ware, D K Power operated doors for rail vehicles RV119
Watson, H C Flame propagation in a high-speed variable swirl spark ignition engine CE43
Watson, N The development of a turbocharger turbine test facility EM75
Watton, J
Leakage flow detection in a fluid power speed control system using a personal-computer-based condition monitoring package B213
Modelling of electrohydraulic systems with transmission lines using modal approximations B153
Wauer, J On critical speeds of rotating discs RM185
Weeks, R Maximizing vehicle refinements by optimization of body structure and drivetrain dynamic behaviour VN183
Weir, C D
Approximate analysis of feed and district heating cycles for steam combined heat and power plant *(discussion)* A212
Basic principles in the design of bled steam deaerator systems for industrial steam plants A109
Estimating the performance of gas turbine heat-recovery boilers off- design A269
Weitz, B Dynamic behaviour of the Laval rotor with a cracked hollow shaft—a comparison of crack models RM463

© IMechE 1989

Welbourn, D B Performance of a high-reduction planetary gear drive with respect to efficiency *(discussion)* D273
Wells, C Profit from waste materials PW21
Wen, B C Theoretical research, calculation and experiments of cracked shaft dynamic response RM473
Werlberger, P The application of optical methods in the investigation of fuel injection phenomena EM127
West, J P The development of a solution to part-load instability in a modern power station feed system PLP177
Whalley, R
Computation of decoupling precompensators for linear multi-variable system models C161
The response of distributed-lumped parameter systems C421
White, A S Towards automated assembly using flexible robotic assembly cells, transputers and expert systems HS119
White, D A Development of reagents for the decontamination of stainless steel plant scrap by bulk dissolution RF111
White, M F Dynamic loading and response of reciprocating compressor bearings RM341
White, P S Shakedown design methods for high temperatures HTP1
Whitehouse, D J A revised philosophy of surface measuring systems C169
Whitelaw, J H
Combustion oscillations in dump combustors with a constricted exit C205
Flows through round sudden contractions C295
Whitson, R J
An 'in-line' method for measuring the transmission characteristics of pulsation dampers and attenuators GLP71
The pulsation properties of positive displacement pumps—their measurement and application GLP31
Wijsenbeek, S S Railway carriage design—an integrated approach RV127
Wilkinson, T S An analysis of the steady state and dynamic characteristics of a cylindrical-spherical floating ring bearing RM349
Wille, H Decontamination of systems and components for decommissioning RF145
Williams, D Exhaust gas ionization sensor for spark ignition engines CE173
Williams, D J Thermally induced unbalance of generator rotors due to blocked gas cooling ducts RM547
Williams, D R Developments in CARS diagnostics for IC engine measurements EM137
Williams, J A A case history of the Hong Kong Mass Transit Railway—a lesson for the future? RV41
Williams, M L Relating vehicle emission regulations to air quality D235
Williams, P A History dependence in two-disc scuffing tests C211
Williams, W J Decontamination of Magnox boilers RF131
Wilson, D C Where there's muck there's gas PW9
Wilson, D G New guidelines for the preliminary design and performance prediction of axial flow turbines *(discussion)* A213
Wilson, D R Experimental and theoretical investigation of mixed and stratified hot water storage tanks C187
Winklhofer, E The application of optical methods in the investigation of fuel injection phenomena EM127
Winter, H Integrating universities and industry—a German approach B9
Witze, P O Two-component velocity probability density measurements during premixed combustion in a spark ignition engine CE225
Wong, J Y Investigation into the effects of suspension characteristics and design parameters on the performance of tracked vehicles using an advanced computer simulation model D143
Wood, B R Digital simulation for analysis and control of pressure pulsations in pipework systems GLP49
Wood, D P Impact and movement of pedestrians in frontal collisons with vehicles D101
Wood, L A Noise cancellation techniques in motor vehicles VN167
Woods Ballard, W R Noise and vibration considerations in the application of axial flow fans to clean rooms CR25
Woods, M Vehicle noise source identification techniques VN1
Woods, W A The results of recent experiments on unburnt hydrocarbons CE261
Worley, S A An analyser to estimate subjective reaction to diesel engine noise VN29
Wright, A Stock handling application in a retail warehouse HS83
Wu, X S Optimizing the co-generation coefficient in district heating and the co-generation of heat and electricity A243

Yahia, A A Fundamentals of auto-ignition in reciprocating engines CE25
Yamada, T Swirl motion analysis in a spherical combustion chamber CE165
Yamaguchi, K Radiation analysis of sound and attenuation simulation VN133
Yanagihara, S
Remote cutting systems for dismantlement of steel structures in the Japan power demonstration reactor RF215
The Japan power demonstration reactor decommissioning programme RF25
Yang, J M An improved least squares method for calculating balancing correction masses RM499
Yasoshima, H Remote cutting systems for dismantlement of the Japan power demonstration reactor concrete biological shield RF223
Yasuda, O Measurement of the transfer matrix of a prototype multi-stage centrifugal pump PLP137
Yasuda, E An experimental study of optimal vibration adjustment using adaptive control methods AS119
Yates, B D Simple, profitable automatic guided vehicle installations HS5
Yates, D A The compact high-speed gas sampling valve for an internal combustion engine EM35
Yianneskis, M
A laser-anemometry system for the investigation of in-cylinder flows EM151
A method of investigating flows in inlet ports of complex shape CE51
Yilbas, B S The examination of optimal focus settings with material thickness at atmospheric and subatmospheric pressures of air and oxygen in laser drilling of metals B123
Yokota, M Remote cutting systems for dismantlement of steel structures in the Japan power demonstration reactor RF215
Yoneyama, M Stabilization by cross stiffness control of electromagnetic damper for contained liquid rotor unstable vibration RM77

© IMechE 1989

Young, C D
An analyser to estimate subjective reaction to diesel engine noise VN29
Measurements and reduction of spark ignition fuel . . injector noise VN87
Yuill, R J A case history of the Hong Kong Mass Transit Railway—a lesson for the future? RV41

Zanetta, G A Some in-field experiences of non-repeatable behaviour in the dynamics of rotating machinery RM395
Zhang, W Dynamic instability of multi-degree-of-freedom flexible rotor systems due to full annular rub RM305
Zheng, Z-C The dynamic analysis of a multi-shaft rotor–bearing–case system RM607
Zhou, S The transient response of a three-level rotor system subjected to a seismic environment RM635
Zieglmeier, F J Frequency dependent variable suspension damping—theoretical background and practical success AS101
Zlokolica, M Stability of the textile machine rotor RM337
Zlotykamien, H The active magnetic bearing enables optimum control of machine vibrations RM41
Zurbes, A The influence of torsional-lateral-coupling in geared rotor systems on its eigenvalues, modes and unbalance vibrations RM279

© IMechE 1989

Subject Index

Aberthaw 'B' power station A194
Abrasives, friction materials DB33
Acceleration sensors AS95
Acoustic holography,
  near-field VN133
Acoustic materials, handbook VN17
Acoustic resonance, piping
  systems GLP42
Acoustic systems, finite element
  analysis GLP49
Actuators, vibration analysis RM64
Adaptive control
  ignition timing D5
  suspensions AS141
  vibration AS119
Additives, extreme-pressure C211
Advanced manufacturing technology
  (AMT) CC1
Aerodynamics
  propellers with arbitrarily
    positioned hinges RM163
  surge effects in axial
    compressors RM117
  vehicle handling D181
Agricultural vehicles
  suspensions AS133
  see also Tractors
Air cleaning, clean rooms CR38
Air conditioning, railcars RV90
Air handling equipment, flexible
  manufacturing systems CC53
Air motion, in-cylinder CE195
Air quality
  effects on forests D188
  effects on human health D187
  improvement in D187
  see also Environmental protection;
    Exhaust emissions
Aircraft engines
  component design HTP37
  component life assessment HTP37
  surge effects on axial
    compressors RM117
  vibration control RM85
Airflow modelling, clean rooms CR9
Airport crash rescue vehicles, disc
  brakes DB98
Ambulance stretcher, active
  suspension AS59
Anti-slip-regulator systems
  (ASR) TC69
  ABS/ASR system options TC126
  closed-loop control
    technology TC114
  components TC116
  computer software TC70
  construction TC70
  diesel engines TC91
  functional requirements TC69
  integrated ASR TC123
  lock action TC92
  spark-ignition engines TC90
  system structure and
    components TC124
  testing TC71
  vehicle equipment TC118
  with differential brake
    control TC126
Aramid fibre composites DB15
Argo-diesel cycle EM67
Arid climates, cogeneration
  plants A129
Armoured vehicles, passive
  defence D65
Asbestos
  gaskets A66
  replacement in disc brakes DB3
Assembly, automated HS119
Atomizers, rotary RM325
Auto-ignition in reciprocating
  engines CE25
Automatic guided vehicles
  applications HS21
  design HS21, HS24
  flexible manufacturing
    systems HS33
  limitations HS13
  operational control HS24
  planning HS22
  simple small systems HS5
  system design HS23
  vehicle types HS21
Automatic transfer lines, system
  efficiency B51
Automobile industry
  monitoring B178
  supplier R and D D87
  see also Jaguar
Axle loads, simulation of C111

Balancing
  adjustment and calibration RM112
  automatic RM555
  computer aided RM111
  correction masses RM499
  field techniques RM9
  flexible rotors
    torsional excitation RM505
    with one transient run RM511
  jet engine modules RM523
  microprocessor-controlled
    automatic RM109
  steam turbine generators RM491
  torsional excitation RM505
  turbogenerator rotors RM479
  turboset rotors RM487
  see also Bearings; Centrifuges;
    Rotating machinery; Rotors
Batteries, electric vehicles D57
Beams, rotating
  excited by impulsive loading at
    fixed end RM641
  transient response RM641
Bearings RM311
  active electromagnetic RM101
  auxiliary RM43
  ball
    rotors supported in RM223
    vibration and noise
    analysis RM290
    ballroller, non-linearity in rotors
      supported in RM229
    contactless RM44
    cylindrical-spherical floating
      ring RM349
    double axial thrust RM43
    dynamic analysis of multi-shaft
      rotor–bearing–case
      system RM607
dynamically loaded hydrodynamic
  journal C95
electronic cabinet RM43
fluid film flow C39
fluidless RM44
heat transfer C39
hydrodynamic
  non-linearity in rotors supported
    in RM229
  thermal distortion C219
hydrostatic
  squeeze-film RM85
  variable stiffness RM85
journal
  dynamic characteristics RM241
  instability-threshold-based
    RM235
  non-steady stability RM317
  tilting-pad RM267
  vibration and noise
  analysis RM290
magnetic
  active RM41, RM93
  control strategies RM23
  design optimization RM53
  mass unbalance in rigid-body
    rotor RM33
modelling RM428
multiple-pad pressure dam RM359
non-linear effects RM365
oil-film RM61
  dynamic characteristics RM241
  thermal boundary
    conditions C44
pad deflections C39
pivoted pad thrust C39, C51
reciprocating compressor
  dynamic loading RM341
  with intercooler RM341
steady state and dynamic
  characteristics RM349
suspension behaviour RM45
temperature calculation
  procedure C48
three-dimensional
  thermoelastohydrodynamic
  analysis C39, C51
thrust loaded ball C305, C313
unbalance response
  analysis RM539
Belt drives. *See* drives
Billet location in closed cavity die
  forging B227
Binders, friction materials DB34
Biogas fuels PW67
Biotechnology, research facility case
  study CR35
Boiler feed pumps. *See* Pumps
Boilers
  ash transportation RS11
  automatic operation RS7
  blowdown control RS11
  chain grate stoker fired RS8
  combustion losses A215
  control theory RS11
  efficiency improvement RS2
  fluidized bed PW109
  fuel delivery RS11
  fuel supply and control RS11
  gas turbine heat recovery A269

© IMechE 1989

heat recovery RS3
hospital heating RS58
Magnox boiler decontamination RF131
Magnox reactor RF179
multi-fuel RS7
pulverized fuel fired power plant A215
safety and relief valve noise control A89
shell RS7
solid fuel RS7
steam flow control RS10
turbine coupling model A221
unmanned RS7
waste combustion PW91, PW103
water level controls RS11
Boundary conditions, pressure pulsations GLP101
Boundary element method, noise prediction VN139
Boundary layers
effect of pressure gradient and freestream turbulence intensity C195
transitional C195
Bradford University, group scheme for technologist industrial training B29
Brake discs
features and function of D92
heat transfer coefficients D98
railway performance optimization D91
thermal transients analysis D92
see also Disc brakes
Brake drums
clock mechanism D257
fade assessment D257
temperature distribution D257
Brake lamps
multiplexed D195
switch-on delays D195
Brake products DB116
Brake regulator operation TC115
Brakes
disc. *See* Disc brakes
drum DB116
comparison with disc DB105
Braking systems
ABS/ASR TC89, TC114, TC123, TC126
anti-lock system (ABS) TC2, TC13, TC98
anti-wheel-spin system TC135
buses TC125
differential brake control in trucks and buses TC125
electronic-pneumatic TC11
system structure and components TC124
traction control link TC141
with differential brake control TC126
British Airways, training D121
British Rail, maintenance staff training D119
British Rail Engineering Limited (BREL), machine-shop remodelling D265
British Standards
BS5750 B210
BS5882 B211
Buckling
fibre-reinforced plastic–steel torispherical shells under external pressure C409
under time-dependent loads HTP23
Buses
braking systems TC125
disc brakes DB87, DB143

CADCAM
CAD-MRP2 links CC6
costing systems CC3
financial justification CC1
investment appraisal CC1
process planning CC5
pumps CC13
system selection CC6
training and skills B115
Weir Pumps Limited CC31
see also Computer aided design
Cam followers, system parameters determination C361
Cambridge phenomenon B93
Camshafts, HSDI engine A178
Carbon dioxide
exhaust emissions D189
studies on EM140
Carbon loss
empirical model for A219
probability density function A219
Carbon monoxide, exhaust emissions CE257, D187, D189
Cars, traction aids TC47
CASTEM 2000 HTP13
Catalysts
automotive, European market D227
deactivation by lead D231
deactivation modes D229
lean-burn versus stoichiometric combustion D233
thermal deactivation D229
three-way D227
Catastrophe cusp diagram B167
Catastrophe theory approach to industrial adventures B166
Cavitation
damage characteristics evaluation C341
inducer pump PLP105
influence of occluded or dissolved air PLP97
partial flow PLP5
pressure pulsations PLP143
visual rig tests PLP179
Cavitation damage, surface profilometry techniques C341
Cavity cloud formation in polymer solutions C263
Centrifuges, unbalance and vibration control RM555
Ceramics
advanced C227
advantages of C228
coatings C230
components C229
composite materials C232
design C229
disadvantages of C228
processing C227
recent advances in C227
sol-gels C232
tape casting C231
thermal expansion coefficients C232
zero expansion materials C232
Chassis, stiffness effects AS125
Chemical reagents, stainless steel scrap dissolution RF111
Clean rooms
air cleaning CR38
airflow modelling CR9
area protection CR6
axial-flow fans CR25
biotechnology research CR35
class 100 CR19
clean benches CR3
clothing CR54
commissioning CR39, CR92
design CR9, CR19
disc file storage systems CR75
distribution systems CR54
environmental control CR1
gas-particle flows CR61
heat transfer CR38
installation procedure CR45
integrated systems CR3
linear protection CR5
low turbulence displacement flow CR1
microelectronics CR9, CR11, CR19, CR43
noise levels CR43
operating theatres CR3, CR10
pharmaceutical industry CR10, CR89
piping systems CR67
quality control CR46
spot protection CR3
testing CR39, CR92
turbulence modelling CR11
ultra-pure water CR51
validation CR55, CR92
vibration CR25, CR43, CR44
Cleaning, tanks RF143
Clothing, clean rooms CR54
CLOUDBURST code HTP98
CNC machining D265
air and gas handling plant CC53
part programming D269
Coaches, disc brakes DB79
Coalmines, diesel engines A225, A233
Coatings
ceramics C230
gears VN110
Cogeneration coefficient, optimization A243
Cogeneration plants
arid climates A129
cool climates A131
exergy analysis A129
future installations A134
performance examples A132
variable electricity–water ratio A134
see also Combined heat and power

© IMechE 1989

Coherent anti-Stokes Raman spectroscopy (CARS) EM137
Collisions, pedestrian–vehicle front impact D101
Combined heat and power (CHP) A23
  and cooling plant, steam application RS27
  approximate analysis of feed and district heating cycles *(discussion)* A211
  case studies A29
  computer assessment A26
  economics A23
  hospitals RS61
  investment A23
  preliminary assessment charts A36
  site data A26
  steam turbines RS65
  see also Cogeneration
Combustion
  analysis EM133
  direct-injection diesel engines CE105
  effects on friction in engines D218
  endoscopic photography EM128
  GTL 'barrel swirl' system CE203
  hydrogen models CE181
  indirect-injection diesel engines CE93
  interacting radial and axial multi-jet shear layer CE245
  kinetic modelling CE181
  lean-burn versus stoichiometric D233
  losses in pulverized fuel power plant boiler A215
  M-system CE59
  management system CE119
  measurement and control of CE119
  noise levels VN29
  oscillations in dump combustors C205
  petrol engines CE195
  premixed, preflame turbulence measurement CE225
  pressure measurements EM121, VN147
  Quadram system CE105
  turbulent flow field structure CE235
  variations in frequency domain VN147
  waste treatment PW89, PW109
Combustion chambers
  HSDI engine A175, A177
  Quadram system CE105
  shape calculation CE145
  shape studies CE106
  Stirling engine A262
  swirl analysis CE165
  wedge-type CE213
Combustion gases, ionization in EM43
Combustors
  axisymmetric dump C205
  combustion oscillations in C205
  configurations and instrumentation C206
  with swirl C208
  without swirl C207
Commercial vehicles
  classification of DB1
  current systems—state of the art TC1
  disc brakes. *See* Disc brakes
  economy issues TC1
  electronics TC1
  environmental issues TC1
  safety measures TC1
  traction control. *See* Traction control
  transmissions D71
Composite materials
  ceramics C232
  fibre-reinforced C232
  friction materials DB17
Compression ratio, variable CE273
Compressors
  axial-flow, structural loads due to surge RM117
  balancing overhung RM11
  centrifugal, active magnetic bearings RM93
  contra-rotating axial-flow A15
  efficiency of A199
  reciprocating
    computer aided design GLP1
    dynamic loading and response of bearings RM341
    gas pulsations in pipe systems GLP107
    pressure pulsations GLP93
    pulsation analysis GLP51
    valve behaviours GLP1
  Roots, efficiency of A199
  screw A204
    pulsation analysis GLP51
  turbochargers A163
  vane A204
  with fixed internal compression A199
Computer aided design (CAD)
  adaptation to CC49
  costs and benefits of CC4
  finite element analysis B81
  implementation and development of CC43
  manufacturing drawings CC46
  NC programming CC47
  plant design A209
  pumps CC12, CC43
  raw materials CC48
  reciprocating compressors GLP1
  silencers VN41
  training and skills B115
  see also CADCAM
Computer aided engineering (CAE)
  rotodynamic pumps CC9
  Worthington Simpson project CC21
Computer integrated manufacture (CIM) D265
Computer modelling, temperature distribution in brake drums D257
Computer programs
  BOSOR4 C410, C418
  BOSOR5 C416
  CPLGBAL RM12
  IVAN CC3
  momentum theory A103
  OFFROAD TC24, TC25
  PULSIM GLP102, GLP103
  PUMPAL CC10
  ROBDYN.RED C397
  VISCO TC24, TC25
Computer simulation
  handling systems HS145
  heat transfer within combustion chamber EM159
  independent suspension AS127
  model reference adaptive system (MRAS) RM241
  Otto–Atkinson cycle engine CE273
  storage systems HS145
  tracked vehicle suspensions D143
Computer software
  anti-slip-regulator systems (ASR) TC70
  handling systems HS27, HS101, HS142
Computers, impact in thin shell structures A146
Concrete biological shields, decommissioning of radioactive facilities RF223
Condensate drainage in rotating dryers RS49
Condition monitoring. *See* Monitoring
Control systems
  closed-loop AS97
  flexible manufacturing systems HS79
  gas-fired glass forehearth B143
  handling systems HS107, HS113
  overhead cranes HS31
  warehousing HS95
Conveyors
  parcel damage B255, HS71
  vibratory, non-sinusoidal excitation C405
Cool climates, cogeneration plants A131
Cooling systems
  electronic modules C321
  flameproofed diesel engines A227
Cost characteristics
  handling systems HS125
  storage systems HS125
Costing, quality-related costs B99
Couplings, viscous TC23, TC151
Crack growth
  assessment procedures for high temperature HTP103
  fatigue C19
  modes I, II and III C25
  shape development prediction HTP87
Crack growth rate, calculation of HTP99
Crack models, comparison of RM463
Crack propagation
  thermal stripping HTP97
  under thermal cyclic loading HTP85
Crack propagation life HTP41
Cracks
  Laval rotor shaft RM463

© IMechE 1989

rotor vibration RM647
shaft dynamic response RM473
Cranes
automated stacker HS36
control system HS115
overhead, control systems HS31
Crankshafts, vibration analysis VN95
Creep buckling under time-dependent loads HTP23
Creep fatigue
ASME code rules for elastic evaluations HTP65
damage assessment in fast reactors HTP49
Ni–Fe–Cr alloys HTP65
RCC-MR code rules HTP55
Creep life, rotors HTP27
Creep rupture, usage fraction HTP57
Creep strain rate, estimation of HTP7
Cross-country vehicles, disc brakes DB97
Crude oil, water content A117
Cutting
abrasive-waterjet RF224
coring technique RF223
diamond sawing RF223
oxypropane gas RF233
remote systems for decommissioning of radioactive facilities RF215, RF223
thermic lance RF193
underwater arc saw RF217
underwater plasma arc RF216
Cutting tools, decommissioning of radioactive facilities RF63
Cyclic thermal loading, thin shells HTP7
Cylinder bores, surface measurement EM59
Cylinder disablement test, electronically controlled EM13
Cylinder heads, HSDI engine A175
Cylinder liners, wear EM59
Cylinder pressure
data logging D4
transducers D2
Cylinders
in-cylinder air motion CE195
in-cylinder flow analysis CE235
in-cylinder flows, laser-Doppler anemometry EM151
in-cylinder fuel/air ratio EM140

Dampers
squeeze-film C235
see also Suspensions
Data acquisition, lean-burn combustion EM119
Data collection
decommissioning of radioactive facilities RF27
handling systems HS114
Data logging, cylinder pressures D4
Data processing
light output and pressure in spark-ignition engines CE2
swirl motion CE166
voice data-entry systems HS57
Databases, knowledge representation B37
Deaerator systems, steam plants A109
Decision-making
decommissioning of radioactive facilities RF241
in leadership B76
quality-related B138
Decommissioning of radioactive facilities
5 MW research reactor RF51
AERE, Harwell RF103
AWE Aldermaston RF87
Belgonucleaire mixed oxide fuel fabrication plant RF95
Berkeley Nuclear Laboratories RF107
biological shielding RF23, RF27, RF223
BWR system decontamination RF146
carrier assembly RF65
containment system RF71
control and instrumentation RF235
cooling systems and related circuits RF65
costs RF15, RF79, RF91, RF244
cutting tools RF63
data collection RF27
decision-making process RF241
decontamination RF64
chemical RF151
for unrestricted release RF148
of PWR RF147
of reactor cooling circuit RF202
of systems and components RF145
processes RF117
stainless steel scrap RF111
techniques RF72, RF205
delays RF245
design RF205, RF241
direct labour/contractors RF89
environmental impact RF13, RF23, RF46
equipment specification RF56
Eurochemic reprocessing plant RF77
European RF185
experience RF15, RF63, RF90
filtration RF204
glove boxes RF95, RF97, RF98, RF99
graphite-moderated plutonium reactors RF11
graphite structure RF56
HERMES facility RF103
Japan power demonstration reactor RF25
remote cutting systems RF215, RF223
Magnox boilers RF131, RF179
melting role RF135
mixed oxide fuel fabrication RF67, RF95
monitoring of active material RF205
Niederaichbach nuclear power plant RF21
operations RF3, RF68, RF106
overview—past, present and future RF245
Petten high flux reactor RF33
pilot project RF79
planning RF2, RF51, RF67, RF88, RF105, RF242, RF243
private sector experience RF103
process selection RF127, RF148
quality assurance RF89, RF190
radiation exposure RF15, RF36, RF205
radioactive inventory RF201
RD500 manipulator development RF209
reactor vessel and internal structures RF65
remote control RF22, RF202
remote manipulators RF64, RF202
remote viewing systems RF203
repository handling RF163, RF189
re-use of facilities RF53
safety procedures RF5, RF36
site preparation RF90
size reduction tooling RF72
socio-political aspects RF190
solvent cleaning RF71
steel structures RF215
Strontium Semiworks pilot fuel reprocessing plant RF139
surplus facilities management program (SFMP) RF43
techniques RF3, RF26, RF35, RF201
thermic lance cutting method RF193
tools RF35
transuranic contaminated radioactive facilities RF87
ventilation RF204
waste packaging RF177, RF187, RF188, RF205
waste transport RF163, RF178, RF185, RF188, RF189
waste treatment RF3, RF5, RF24, RF35, RF64, RF73, RF80, RF104, RF118, RF129, RF133, RF153, RF160, RF167, RF175, RF185, RF190, RF234, RF244
Windscale AGR
core restraint band removal RF55
decommissioning machine and robotic manipulator RF229
development programme RF201
packaging and disposal system RF159
surveillance and maintenance RF247
Decontamination of radioactive facilities. *See* Decommissioning of radioactive facilities
Deformation, mapping C379
Deionization, water purification CR52
Desalination theory A135
Design codes, construction of HTP7
Diagnostic systems, vibration RM455

© IMechE 1989

Diesel engines
anti-slip-regulator systems (ASR) TC91
closed-cycle CE119, EM67
coalmines A225, A233
direct-injection CE105, CE145, CE157, CE165, EM159, VN75
driveshaft vibration transmission RM579
electronic diesel control (EDR) TC3
exhaust emissions CE127, CE135
flameproofed A225
friction characteristics EM13
fuel film development and evaporation CE59
high-speed direct injection A171
indirect injection CE93, CE127
marine EM49
noise VN29, VN75, VN76
passenger car applications A171
prima/MDI HSDI A177
turbocharged EM75
vibration RM579
wall-wetting direct injection CE59
Differentials
housing/axle AS126
limited slip TC24
locks TC83
Torsen TC75
traction control TC75
Diffraction theories VN117
Diffuser channel length–width ratio A163
Digital image analysis EM130
Dilution tunnels, exhaust sampling CE135
Disc brakes
air-actuated DB63, DB79
airport crash rescue vehicles DB98
asbestos replacement DB3
Bendix experience DB64
buses DB87, DB143
caliper mounting bolts DB118
choice of DB116, DB117, DB139
coaches DB79, DB81
commercial vehicles DB1, DB151
comparison with drum brake DB105
compatibility DB4, DB134
construction DB80
costs DB136
cross-country vehicles DB97
decelerations DB88
design and development DB63, DB80, DB118, DB151
drivers' experience DB139
durability DB139, DB141
efficiency and hysteresis DB107
emergency braking characteristics DB107
European applications DB116, DB151
friction stability DB134
fixed caliper DB53, DB133
flexural effects in pads DB47
floating caliper DB153
friction materials DB1, DB9, DB16, DB20, DB31, DB47
fundamental problems DB134
future applications DB120, DB154
garbage collection vehicles DB141
heat dissipation DB97
heavy duty DB97, DB105, DB133, DB151
hydraulic DB152
inboard DB98
influences on vehicle concepts DB108
installation DB81, DB89, DB117
in-wheel parking DB71
leading shoe brakes DB144
light commercial vehicles DB115
maintenance DB136, DB139
manufacture DB119
military vehicles DB97
minibuses DB145
multi-disc systems DB97, DB98
outboard DB99
pad durability DB4, DB140
pad integrity DB4
parameters for brake calculation DB87
performance improvement DB105
pneumatic DB133, DB153
production of DB119
public service vehicles DB143
railways D91
reliability DB139
rigid caliper DB152, DB153
Roadrunner range DB115
service experience DB98
serviceability DB83
specific braking area DB89
specifications DB139
squeal noise DB39
static and dynamic properties DB31
structural analysis DB118
test results DB154
trucks DB71
UK DB116
vibration DB83, DB135
wear DB107, DB135
weight saving DB136
Distillation columns, fractional RS38
Distributed-lumped parameter systems C421
District heating
cogeneration A243
principles of A137
vapour compression heat pump A135
Docklands Light Railway RV19, RV163
Drains, noise control A95
Drilling, laser, optimal focus settings B123
Drivelines, electronic control TC4
Drives
high-reduction planetary gear *(discussion)* D273
hybrid D57
stepper motors D115
variable-ratio belt D45
Drivetrains
commercial vehicles TC2
dynamic behaviour VN183
hybrid electric D53
mounting optimization VN186
Drop hammer rig, performance assessment C275
Drying and dryers
condensate drainage from rotating dryers RS49
steam system for paper RS54
techniques RS37
Dual fuel engines, interaction of liquid and gaseous fuels CE181
Dynamic analysis
road surfaces C103
vehicles C103
Dynamic coefficients, squeeze-film C235
Dynamic stiffness matrix, vibration analysis VN95
Dynamic systems, conservative and non-conservative coupling RM567
Dynamometers, hydrostatic EM123

Earthquakes
resistance test RM4
rotating machinery RM1
Economic growth, technology relationship with B1
Education and training
CADCAM B115
computer aided design and draughting B115
flexible manufacturing systems (FMS) CC58
group schemes for technologist industrial training B29
integrating universities and industry B9
processing industry D121
quality control B137
railway depot maintenance staff D119
Teaching Company scheme B129
technologist industrial B29
Elasto–plastic fracture mechanics (EPFM) C19
Electric motors
mounted on discontinuously non-linear elastic supports C369
see also Stepper motors
Electric vehicles
hybrid, passenger cars D51
petroleum substitution D51
Electricity generation
biogas fuels PW67
landfill methane gas utilization PW59
see also Cogeneration; Generator sets; Generators
Electrode deposits, potassium sulphate CE9
Electrohydraulic systems, modelling of B153
Electromagnetic radiation, position sensors AS78
Electronic components, thermal failure C321

© IMechE 1989

Electronic control
  ABS/ASR system TC116
  ignition timing D1
  suspensions AS93
Electronic diesel control (EDR) TC3
Electronic modules, forced convection air cooling C321
Electronic-pneumatic shift (EPS) TC2
Electronic retarders TC3
Electronically controlled axle locking TC83
Electronics, commercial vehicles TC1
Electropolishing, decontamination RF134
Endoscopic photography, combustion EM128
Engineering analysis in plant design A208
Engineering excellence, pursuit and achievement of A151
Environmental protection
  commercial vehicles TC1
  see also Air quality
Epoxy resin for waste containment RF167
Epoxy systems DB18, DB20
Ethanol fuels CE191
Evaporation. *See* Fuel films
Evaporators, energy requirement RS38
Exergy analysis, cogeneration plants A129
Exergy theory A136
Exhaust emissions
  and air quality D239
  carbon dioxide D189
  carbon monoxide CE257, D187, D189
  catalyst effects A233
  diesel engines CE127, CE135
  European regulations D235
  flameproofed diesel engines A229
  fuel structure effect CE253
  hydrocarbons CE96, D189, CE257, CE261
  investigation of effects of D190
  legislation D191
  Luxembourg agreement D235
  nitrogen oxides CE245, CE258, D187, D189
  Otto–Atkinson cycle CE275
  particulate solvent organic fraction (SOF) A233
  particulates A237, D187
  polycyclic aromatic hydrocarbons A233, CE127, D187
  reduction of D189
  regulations CE111, D239
  smoke CE97
  soot CE97
  warm-up period EM101
  water scrubber effects A233
  see also Air quality; Environmental protection
Exhaust gas recirculation (EGR) systems CE94
Exhaust gases, ionization sensor CE173
Exhaust ports, HSD1 engine A177
Exhaust sampling, solvent scrubbing system CE135
Exhaust silencing, gas turbines A58
Exhaust systems
  flameproofed diesel engines A227
  gas flow noise VN47
  noise reduction VN47
  pressure loss VN47
  silencers A58, VN17, VN39
  spray-cooled A230
Expert systems
  automated assembly HS119
  condition monitoring RM449
  fixture design B37
  rotordynamics programs RM621

Failure mechanisms, aircraft engine components HTP38
Failure mode and effect analysis (FMEA) HTP37
Failure safety, digital electronics TC8
Fans
  axial-flow
    clean rooms CR25
    vibration CR25
  blade geometry selection for optimum efficiency A39
  variable speed CR31
Fatigue
  high-cycle D201
  shafts D201
  wear C391
Fatigue cracks, propagation of C19
Fatigue damage, thermal stripping HTP97
Fatigue life
  multiaxial C27
  prediction C27, HTP40
Fault diagnosis
  generator sets RM405
  steam turbines RM405
Feedback control
  petrol engines EM43
  spark-ignition engines CE31
Fibres, friction materials DB32
Fillers, friction materials DB33
Film processing room CR12
Filters, exhaust sampling CE135
Finance
  CADCAM CC1
  handling systems HS143
Finite difference analysis
  pressure pulsations GLP100
  rotordynamic seal coefficients RM379
Finite element analysis
  acoustic systems GLP49
  aeroelastic analysis of flexible rotors attached to flexible supportsRM615
  computer aided design B81
  cracked shafts RM475
  demonstration system B83
  dynamically loaded hydrodynamic journal bearing C95
  future developments B82
  gas turbine strain gauge results RM177
  gearboxes C245, C257
  heat transfer C321
  pressure dam bearings RM359
  pumps CC44
  reptile system B85
  strain gauges RM177
  structural steelwork B83
  temperature distribution in brake drums D259
Finite element modelling, pump manufacture CC11
Fixture design, expert systems B37
Flame propagation, spark-ignition engines CE43
Flame temperature, measurement of EM133
Flame velocity, measurement of EM121
Flames, laser Schlieren measurements EM109
Flanged joints, leakage through A1
Flash distillation, multi-stage A132, A137
Flexible manufacturing systems (FMS)
  air and gas handling equipment CC53
  area gantry robots HS41
  automated assembly HS119
  automatic guided vehicles HS33
  control systems HS79
  distributive numerical control and monitoring system CC56
  future developements CC59, HS29
  handling systems HS29
  JCB International Transmissions Limited HS77
  machine tool specification and foundation requirement CC55
  maintenance CC59, HS67
  materials handling HS78
  operational requirements CC54, CC58
  power failure HS67
  safety aspects B247, HS63
  savings and payback period CC57
  state of the art HS30
  training CC58
Flow
  fluid flow equations A2
  influence in pulsation simulation GLP89
  inlet ports of complex shape CE51
  isentropic A2
  laminar viscous A2
  partial
    mixed flow pump performance PLP25
    pump instabilities PLP1
    semi-open and closed centrifugal impellers PLP35
  supercavitating A97
  through round sudden contractions C295
  turbulent A2
  viscous A13
Flow analysis
  hot-air engine C31
  in-cylinder CE235
  mixed-flow pump impellers PLP83

© IMechE 1989

Flow field, three-dimensional calculation CE145
Flow measurement, in-cylinder EM151
Flowmeters, linear differential-pressure variable-area RS19
Fluid machinery, conference proceedings *(book review)* C377
Ford Motor Company Limited, performance monitoring A161
Forests, influence of air quality D188
Forging, closed cavity die B227, B237
Foundations, modelling RM428
Four-wheel-drive vehicles
  stability TC49
  traction control TC49
Friction
  adhesion model DB15
  dynamic DB35
  experimental methods for determining in engines D215
  mapping C381
  static DB35
Friction apparatus
  high-speed DB19
  low-speed DB18
Friction characteristics, diesel engines EM13
Friction coefficients C381
  scuffing tests C211
Friction materials
  abrasives DB33
  binders DB34
  commercial vehicle application DB4, DB9
  composite materials DB17
  developments DB17
  disc brakes DB1, DB9, DB16, DB20, DB47
  elements of DB32
  fibres DB32
  fillers DB33
  formulating DB35
  future developments DB11
  initial test work results DB11
  lubricants DB33
  organics DB34
  polymer composites DB17
  temperature effects DB32
  testing DB10
Friction measurement
  floating-liner method EM1
  piston rings EM1
Friction stability, disc brakes DB134
Frontal impact, pedestrian–vehicle D101
Fuel additives, 'spark-aider' CE9
Fuel/air ratios, in-cylinder EM140
Fuel economy
  fuel structure effects CE256
  methods of improving CE94
  Otto–Atkinson cycle CE275
Fuel enrichment, throttle body injection D9
Fuel films, development and evaporation in diesel engines CE59
Fuel injection
  electronic control TC9
  fuel enrichment patterns D9
  HSDI engine A175, A178
  noise measurement VN87
  noise reduction VN87
  observation of EM128
  optical methods EM127
  spark-ignition engines CE31
  throttle body D9
Fuel sprays
  analysis EM129
  impingement location CE108
  tip velocities CE157
  trajectory calculation CE97
Fuels
  biogas PW67
  cetane number CE110
  ethanol CE191
  flameproofed diesel engines A228
  interaction of liquid and gaseous CE181
  lead levels D231
  methane PW59
  natural gas CE245
  quality effects CE110
  straw PW19
  structure effect on engine performance and emissions CE253
  waste derived PW26, PW31, PW75
  see also Dual fuel engines; Nuclear fuels; Spark-ignition engines

Gamma meter devices CE119
Gantries, robot HS41
Gas(es)
  landfill. *See* Landfill gas abstraction
  use for steam generation RS1
  waste treatment PW95
Gas dynamic damping of turbine blades RM135
Gas firing, steam generation RS35
Gas flow, measurement in wedge-type combustion chamber CE213
Gas handling equipment, FMS CC53
Gas-particle flows, clean rooms CR61
Gas pulsations. *See* Pressure pulsations
Gas sampling valves EM35
Gas turbines
  CHP schemes A23
  component design and life assessment HTP37
  exhaust silencing A58
  finite element analysis of strain gauge results RM177
  heat-recovery boilers A269
  natural-gas-fired CE245
Gaskets
  comparison of asbestos and non-asbestos A66
  limitations of A64
  materials available A66
  non-metallic asbestos-free A63
  performance in steam A67
Gaussian laser beams EM110
Gearboxes
  finite element analysis C245, C257
  heat balance C253
  lubricant flow patterns inside C249
  thermal analysis C245, C257
Gears
  coatings VN110
  noise reduction VN109
  planetary, high-reduction drives *(discussion)* D273
  vibration C63
Generators
  fault diagnosis RM405
  rotordynamic analysis techniques RM655
  trim balancing RM491
  vibration diagnostic system RM455
  vibration levels RM419
  see also Electricity generation
German Federal Railway D125; (*discussion*) D140
Glass container manufacturing process B143
Glass forehearth control strategy B143
Glove boxes, decommissioning of radioactive facilities RF95, RF97, RF98, RF99
Glow discharges, ignition improvement CE9
Grinding machines, vibration control RM109
Guidance systems. *See* Automatic guided vehicles; Self-guided vehicles

Handling systems
  advanced HS1, HS28
  automated HS107
  computer simulation HS145
  computer software HS27, HS101, HS142
  control systems HS101, HS107, HS113
  conventional HS27
  costs HS125, HS143
  data collection HS114
  design detail HS144
  development review HS27
  flexible manufacturing systems HS29
  integrated control HS107
  intelligent pallets HS113
  project management HS139, HS140, HS149
  retail warehousing HS83
  safety aspects B247, HS63
  specification HS139
  testing and modification HS143
Heat balance, gearboxes C253
Heat dissipation, disc brakes DB97
Heat exchangers
  Stirling heat pump C433
  waste-transfer route RF5
Heat pumps
  Stirling cycle C431
  vapour compression A135
Heat recovery
  boilers RS3
  gas turbine boilers A269
  incineration PW105
  waste treatment PW95
  see also Waste heat recovery

© IMechE 1989

Heat transfer
bearings C39
clean rooms CR38
finite element analysis C321
truck engine EM159
Heat transfer coefficients
brake discs D98
gas turbine heat-recovery boilers A274
Heaters
high-intensity small bore immersion tube RS36
high-temperature direct-contact water RS37
inline RS37
multi-tube system RS37
Heating
biogas fuels PW67
hospitals RS57
liquids RS36
steam use for RS41
Heavy vehicles. *See* Buses; Trucks
Helmholtz integral equation VN133
High temperature materials for aerospace and industrial power *(book review)* C145
High temperature plant
defect assessment procedures HTP103
design and assessment of HTP103
shakedown method HTP1
Hodgson number GLP79, GLP80
Holography, acoustic VN133
Hong Kong Mass Transit Railway RV41
Hospitals
catering services RS59
combined heat and power (CHP) RS61
energy recovery PW101
heating RS57
laundry equipment RS59
operating theatres CR3, CR10
sterilization services RS60
support services RS60
waste incineration RS61
Hot-air engines C31
Hot water storage tanks, stratified C187
Hybrid vehicles
passenger cars D51
petroleum substitution D51
Hydraulic circuits, pressure ripple in GLP13
Hydraulic excitation forces, impellers RM247
Hydraulic systems
load sensing A79
stability analysis A79
Hydrocarbons
auto-ignition models CE183
CARS EM140
exhaust emissions CE96, CE257, CE261, D189
Hydrofoils in supercavitating flow A97
Hydrogen
combustion models CE181
spectrum of EM140

Identification systems
automatic HS49
industry application standards HS52
Ignition
advance angle, optimum control D1
autoignition models for hydrocarbons CE183
see also Spark-ignition engines
Ignition controllers, adaptive D1, D4
Ignition delay in reciprocating engines CE25
Ignition timing
adaptive control D5
electronic control D1
spark synchronization D7
Impact tests, drop hammer rig C275
Impellers
centrifugal growth RM250
hydraulic excitation forces RM247
partial flow performance of semi-open and closed centrifugal PLP35
shroud forces influencing hydraulic turbine rotor stability RM252
see also Pumps
Impulse response method, thermal stripping HTP98
Incineration
heat recovery PW95, PW105
waste treatment PW75, PW95, PW101, RS61
Industry
adventuring in B165
integrating universities and B9
Inlet ports
flow through CE51
HSD1 engine A177
Intake manifolds, carburetted EM93
Intake systems, flameproofed diesel engines A227
Interaction diagrams HTP7
Internal combustion engines
CHP schemes A24
flow through inlet ports CE51
Ionization transducers CE173, EM43

Jaguar XJ-S sports coupe VN183
Jaguar XK120 D163
chassis frame D169
development background D163
engine boost D168
engine design D164
steering D170
suspension D170
Jet engines, balancing procedures and arrangements RM523
Jet mix flame stabiliser CE245
Joints. *See* Flanged joints

Kan Ban supply system, machine shops D270
Kirchoff's diffraction theory VN117
Knowledge representation, databases B37

Landfill gas abstraction PW9, PW37, PW47, PW51, PW59, PW75
Laser beams EM110
Laser Doppler anemometers CE213, PLP83
in-cylinder flows EM151
Laser Doppler velocimeters CE225, CE238, PLP51
Laser drilling, optimal focus settings B123
Laser light extinction technique EM132
Laser Schlieren measurements, flames EM109
Laundry equipment, hospitals RS59
Lead in fuels D231
Leadership
consequences of lack of B78
decision-making in B76
examples of B77
qualities required for B75
training for B75
Leakage
flow detection, speed control systems B213
in valves A45
through loaded flat-flanged joints A1
Lean-burn combustion, data acquisition EM119
Lean-burn engines
catalyst standpoint D233
monitoring EM119
turbulence-enhanced burning rates CE17
Least squares method
balancing correction masses RM499
rotor/foundation systems RM209
turbine generator trim balancing RM491
Legislation, exhaust emissions D191
Limited slip differentials TC84
Linear elastic fracture mechanics (LEFM) C19
Liquid pulsations. *See* Pressure pulsations
Liquids, waste treatment PW95
Locomotives
electric Bo–Bo–Bo D21
bogie D26
brake equipment D27, D30
cab equipment D24
cooling air management D24
design features D21
electrical equipment D28
equipment layout D23
main transformer D29
mechanical parts D22
motor-alternator set D30
performance requirements D21
roof equipment D29
slip slide control D30
stressed skin monocoque structure D22
traction control electronics D30
traction converter D29
traction motor D29
maintenance schedules D33
see also Railways

© IMechE 1989

Logistics, materials handling HS1
London Underground Limited, training D120
Love, A E H (1863–1940) profile A141
Low-order systems, self-tuning controllers C301
Lubricants
  effect on friction in engines D219
  extreme-pressure additives C211
  flow patterns inside gearbox C249
  friction materials DB33
  performance modelling and monitoring EM49
  sampling arrangements EM49
Lubrication
  early views on D217
  elastohydrodynamic
    dry contact problem C347
    film thickness C11
    line contact problem solution C354
    Poritsky's closed-form solution C347
    traction effects C129
  Hertzian contacts C79
  IMechE 1937 discussion D217
  minimum film thicknesses in point contacts operating in elastic piezoviscous regime C73
  overclamped slippers in axial piston pumps C287

Machine shops
  Kan Ban supply system D270
  OPUS system D265
  remodelling D265
McPherson struts AS113
Magnetic bearings. *See* Bearings
Magnetic ink character recognition (MICR) HS51
Magnox boiler decontamination RF131
Maintenance
  advanced handling systems B252
  disc brakes DB136, DB139
  flameproofed diesel engines A229
  flexible manufacturing systems (FMS) CC59, HS67
  locomotive schedules D33
  preventive D33
  railway depot staff training and skills requirements D119
  rolling stock schedules D33
Management
  market pull factors B166
  Mechanical Handling Engineers Limited, case study B171
  organization capability factors B166
  philosophy of B171
  worker participation B171
Manufacturing industry
  Cambridge phenomenon implications B93
  quality assurance B107
  quality control B135
  quality-related costing B99
Manufacturing systems
  evaluation B181
  see also Computer integrated manufacture (CIM); Flexible manufacturing systems (FMS)
Maritime markets A72
Maritime research
  British Maritime Technology Limited A69
  changing market requirements A75
  international markets A76
  recommendations A76
  United Kingdom A70
Material functions, identification of HTP19
Materials handling
  flexible manufacturing systems HS78
  logistics HS1
  see also Handling systems
Mechanical Handling Engineers Limited, case study B171
Methane, landfill gas extraction PW59
MEXIM 3610 C232
Microcomputers
  servo-valve–motor speed control system B213
  vibration diagnostic system RM455
Microelectronics, clean rooms CR9, CR11, CR19, CR43
Microprocessors
  balancing systems RM109
  'fast damper' control TC12
Military vehicles
  disc brakes DB97
  passive defence D65
  performance prediction TC36
  test vehicles TC37
  transmission wind-up TC23
  wheel slip control TC33
Minibuses, disc brakes DB145
Model reference adaptive system (MRAS) RM241
Monitoring
  communication interface unit B180
  development system B179
  Dextralog FS2 system B180
  flameproofed diesel engines A228
  lean-burn engines EM119
  manufacturing system evaluation B181
  on-line real-time (OLRT) B177
  production systems B177
  rotating machinery RM445, RM449
  servo-valve–motor speed control system B213
  system hardware B178
  textile industry B177
Multiple search method (MSM) A157
Multiplexing, brake lamps D195
Munich Technical University B9

Natural gas fuels CE245
Navier–Stokes equations RM379
Net positive suction head (NPSH) GLP59
Neutron shield plug processing RF4
New Zealand Railways Corporation D21
Ni–Fe–Cr alloys, creep–fatigue HTP65
Nitro-diesel engine EM67
Nitrogen oxides
  effects on forests D188
  exhaust emissions CE245, CE258, D187, D189
Noise analysis
  diesel engines VN29
  engines VN23
  geared rotor system RM289
  pass-by test VN2
  sound and attenuation simulation VN133
Noise assessment, diesel engines VN76
Noise attenuators, fluid-borne GLP18
Noise cancellation techniques, motor vehicles VN167
Noise control
  drains A95
  engines VN23, VN133
  plant design A53
  project technical specifications A60
  steam discharge A89
  venting systems A57
Noise criteria
  environmental A53
  power stations A89
  work area A54
Noise environment, railway vehicles RV139
Noise generation
  aerodynamic VN55
  gas flow VN47
  hydraulic PLP89
  road surfaces VN65
  structure-borne VN168
  tyres VN65
Noise levels
  axial-flow fans CR25
  clean rooms CR43
  combustion VN29
  flameproofed diesel engines A228
  goods vehicles VN21
  quantifying A60
  rear seat VN170
  vehicle drive-by VN20, VN24
Noise measurement, fuel injection VN87
Noise performance, maximizing VN183
Noise prediction
  boundary element method VN139
  energy methods VN159
  engine covers VN159
  engines VN139, VN147
  tyres VN175
  vehicle external VN17
  vehicle internal VN147
Noise quality
  engines VN23
  vehicles VN18
Noise reduction
  diesel engines VN75
  energy methods VN159
  engine covers VN159
  engines VN117
  exhaust systems VN47
  fuel injection VN87

© IMechE 1989

gears VN109
transmissions VN109
vehicle interior VN56
vehicles VN13
Noise regulator device VN167
Noise response, vehicle assessment VN59
Noise simulation, tyres VN175
Noise sources
identification in vehicles VN1, VN123
vehicle external VN65
vehicle internal VN65
vehicle/tyre/road interaction VN65
Nuclear facilities, 'clean' cell area CR12
Nuclear fuels
Eurochemic reprocessing plant decommissioning project RF77
mixed oxide fabrication facility decommissioning RF67, RF95
Strontium Semiworks pilot fuel reprocessing plant RF139
Nuclear industry supplier quality assurance B205
Nuclear power plant
Niederaichbach RF21
Surplus facilities management program (SFMP) RF43
Nuclear power stations, French PLP123
Nuclear reactors
5 MW research reactor RF51
BWR system decontamination RF146
creep–fatigue assessment procedures for fast reactors HTP49
design and construction rules for LMFBR components HTP55
fast reactor structure HTP1
G2 RF127
G3 RF127
graphite-moderated reactors RF11
Japan power demonstration reactor RF25, RF223
remote cutting systems for steel structures RF215
Magnox boiler decontamination RF131
Magnox reactor boilers RF179
Petten high flux reactor RF33
power reactor cooling circuit decontamination RF127
PWR decontamination RF147
Surplus facilities management program (SFMP) RF43
Windscale AGR RF1
core restraint band removal RF55
decommissioning machine and robotic manipulator RF229
development programme RF201
packaging and disposal system RF159
surveillance and maintenance RF247
see also Decommissioning of radioactive facilities
Off-road vehicles, wheel-spin control TC33
Oil crisis, impacts of D218
Oil films, effect of structural damping RM8
Oil whip, earthquake-induced RM5
Operating theatres CR10
Optical character recognition (OCR) HS51
Optical methods, fuel injection EM127
Organics, friction materials DB34
Orifice meters, gas time-mean flowrate measurement GLP77
Orifice plates, pressure pulsations GLP90
Otto–Atkinson cycle CE273

Pallets, intelligent HS113
Parcel damage in conveyor systems B255, HS71
Parcel sorting, voice data-entry systems HS57
Particulates, exhaust emissions D187
Pedestrian–vehicle front impact D101
Performance audit A156
Perturbation analysis, eccentric shaft RM380
Petrol engines
combustion CE195
feedback control EM43
Pharmaceutical industry
clean rooms CR10, CR89
dispensing area CR12
Phenolic-aramid systems DB20
Phenolic systems DB18, DB20
Photochemical ozone formation D188
Pipework systems, acoustic finite element analysis GLP50
Piping systems
Aberthaw 'B' power station A194
acoustic resonance GLP42
cavitation PLP143
clean rooms CR67
flow dynamics GLP97
flow through sudden contractions C295
gas pulsations GLP107
gas time-mean flowrate measurement GLP77
part-load instability in feed system PLP177
polyvinylidene fluoride CR67
pressure pulsations PLP143
pulsation damping GLP91
refurbishment A193
resonance in GLP80
strain-range calculation HTP76
Wankie power station, Zimbabwe A193
water-hammer utilization A249
see also Pressure pulsations
Piston rings, friction measurement EM1
Plant design
codes of practice A208
computer aided design A209
constraints in A208
creativity and excitement in A207
design trends A207
engineering analysis in A208
noise control A53
opportunities and challenges A209
Plant performance, factors affecting A157
Plastics
fibre-reinforced, steel shells C409
piping systems CR67
Plastics industry, monitoring B178
Polycyclic aromatic hydrocarbons, exhaust emissions A233, CE127, D187
Polymer solutions
cavity cloud formation in C263
stringy damage patterns C263
Polyvinylidene fluoride, piping systems CR57
Ports
exhaust, HSDI engine A177
inlet
flow through CE51
HSDI engine A177
Position sensors
opto-electronic B261
variable inductance AS75
Postal engineering
parcel damage in conveyor systems HS71
parcel-handling conveyor systems B255
voice data-entry systems HS57
Potassium sulphate, electrode deposits CE9
Power failure, flexible manufacturing systems HS67
Power stations
noise emission A89
performance audit A158
performance enhancement A158
Power supply, advanced handling systems B252
Powertrains, electronically controlled TC10
Pressure pulsations
boundary conditions GLP101
cavitating high-energy centrifugal pumps and pipework PLP143
computer prediction GLP59
finite difference methods GLP100
flow induced GLP97
gas installations GLP89
hydraulic circuits GLP13
impedance analysis GLP23
influence on reciprocating compressor valve behaviour GLP1
orifice plates GLP90
pump design GLP42
reduction of GLP41
rotary lobe positive displacement pumps GLP23
simulation of GLP49, GLP89
time-mean flowrate GLP77
transmission characteristics of pulsation dampers and attenuators GLP71
vibration GLP43

© IMechE 1989

Pressure transducers D2, EM121
Principal component analysis, noise sources VN123
Printed circuit boards
  air cooling C321
  surface mounted B247, HS64
Printer, non-contact, for product coding B87
Probabilistic analysis, mistuned bladed turbine disc RM143
Process industries, training in D121
Process planning, computer-aided CC5
Product coding, non-contact printer B87
Professional engineer, role of B1
Project management
  basic organization B20
  contractor control B23
  financial hazards B23
  handling systems HS149
  need to foresee difficulties B23
  precepts of B19
  requirements of B21
Propellers
  dynamics of n-bladed RM163
  equations of motion RM163, RM164
  stability analysis RM165, RM166, RM167, RM168
  with arbitrarily positioned hinges under aerodynamic forces RM163
Public service vehicles, disc brakes DB143
Pulsation properties. *See* Pressure pulsations
Pump/silencer/circuit, computer model GLP33
Pumps
  axial-piston GLP33
    lubrication of overclamped slippers C287
  boiler feedwater
    fluid/mechanical interactions RM270
    impeller interaction coefficient RM436
    part-load operation PLP123
    rotor vibration RM435
    rotordynamic design RM266
    vibration PLP167
    wet critical speeds RM265
  CADCAM CC13
  centrifugal
    dynamic behaviour RM259
    flow field at tip of impeller at off-design conditions PLP51
    impeller shroud failure PLP113
    part-load operation PLP109, PLP131
    pressure pulsations PLP143
    recirculation at impeller inlet and outlet PLP61
    transfer matrix of multi-stage PLP137
    unsteady hydraulic impeller forces PLP153
  computer-aided design CC12, CC43
  finite element analysis CC44
  flow field of two impellers at part-load PLP69
  flow traverses upstream and downstream of impeller PLP16
  gear, reduction of pressure ripple *(discussion)* B61
  inducer
    gas entrainment PLP106
    part-load performance PLP105
  inlet surging PLP5
  instabilities at partial flow PLP1
  manufacture, finite element modelling CC11
  mixed-flow
    effect of suction duct design PLP25
    flow analysis PLP83
    influence of upstream guide vanes on performance curves PLP26
    input power increase at zero flow PLP27
    off-design performance PLP13
    part-load performance PLP83
    partial flow performance PLP25
    prediction of approximate shape of performance curves at partialflow PLP27
multi-stage RM247
  rotor stability RM251
noise, part-load PLP89
positive displacement, pulsation properties GLP31
reciprocationg, net positive suction head (NPSH) GLP59
rotary lobe positive displacement GLP23
rotodynamic
  CAE techniques CC9
  part-load PLP89
sewage, part-load PLP89
solids modelling CC45
supercavitating A97
synthesis gas wash PLP107
triplex GLP34
turbo, influence of seals RM259
vibration analysis CC12
see also Cavitation; Pressure pulsations

Quality assurance
  audits B209
  company information B208
  decommissioning of radioactive facilities RF89, RF190
  inspection B209
  manufacturing industry B107
  organization for B208
  policies B208
  standards and codes B208, B210
  supplier B109, B205
Quality circles B111
Quality control
  clean rooms CR46
  conventional B65
  customer expectations B63, B70
  decision model B139
  design B68
  improvement techniques B111
  information feedback B112
  manpower development B112
  manufacturing industry B135
  measurement equipment B111
  philosophy of B63
  quality-related costs B99
  special studies B109
  system design B68
  Taguchi method B69
  total B64, B108
Quality costing B211
Quality education and training B137
Quality function deployment B70
Quality management B135
Quality policy B136
Queensland Railways, mainline electrification scheme RV87
Quiet heavy vehicles, QHV90 project VN13
Quincke tube GLP18

Radioactive facilities, decommissioning. *See* Decommissioning of radioactive facilities
Railways
  315 stock RV155, RV157
  415 stock RV155, RV156
  455 Networker stock RV155, RV157
  455 stock RV155, RV157
  aesthetic styling RV49
  air conditioning RV90
  application guidelines RV98
  automated guideway transit (AGT) RV27
  automatic train control RV89
  auxiliary power systems RV90
  body design aspects influencing noise RV142
  bogie design RV89
  braking RV89
  British Railways Networker RV155
  carbody design RV88, RV131
  carriage design RV9, RV11, RV33, RV34, RV36, RV88, RV127, RV128, RV183
    exterior RV9, RV11, RV128, RV129, RV131
    interior RV10, RV11, RV91, RV128, RV144
  carriage doors RV103, RV105, RV107, RV108, RV109, RV110, RV119, RV121
  carriage ergonomics RV127, RV129, RV131
  carriage glazing RV108
  carriage lighting RV92, RV184
  catering RV13, RV92
  Central Line rolling stock RV79
  depot maintenance staff training and skills requirements D119
  disabled passenger facilities RV167, RV177, RV183
  disc brakes D91
  Docklands Light Railway RV19, RV163

© IMechE 1989

driver's cab RV14, RV92
environmental systems and passenger needs RV147
German Federal Railway D125; *(discussion)* D140
high-speed motor train units D125; *(discussion)* D140
high-speed train design RV9
Hong Kong Mass Transit Railway RV41
industrial design RV4, RV33
information and communication RV171, RV181
Intercity-Experimental (ICE)
acoustics D132
aerodynamics D125, D131
braking system D127
diagnostic system D138
gangways and couplings D128
infrastructure D125
measuring techniques D129
overall conception D125, D135
pantograph/overhead contact line system D133
passenger information system D129, D137
power cars design D136
public acceptance investigation D129
roller rig tests D134
service coach D137
test runs and trials D131
traction bogies D128
traction equipment D127
trailer coaches D128, D136
light rail vehicles RV27
machine-shop remodelling D265
maintenance D40, RV93
market research RV73, RV100
mock-ups RV36
New Zealand D21
noise in railway vehicles RV139, RV140, RV144
passenger comfort RV155
passenger expectations RV151
passenger role in train design RV73, RV97
passenger train imagery RV1
public address system RV183
Queensland Railways mainline electrification scheme RV87
rolling stock maintenance schedules D33
seating RV12, RV82, RV92, RV128, RV129, RV180, RV184
Tangara commuter rail stock RV49
thermal systems RV148, RV149, RV150
toilets RV14, RV92
traction system RV90
tube train design RV65
Yugoslav Railways, type 'Z' passenger coach development RV57
see also Locomotives
Raman spectroscopy, overview EM137
Ratchetting, onset of HTP7
RCC-MR code, creep–fatigue rules HTP55
Rear-wheel-drive vehicles, traction control TC61
Reliability
disc brakes DB139
flameproofed diesel engines A229
Reptile system, finite element analysis B85
Research and development, transportation equipment industry D83
Residual stress, calculation of HTP3
Resonance, piping systems GLP80
Resonance amplitudes, prediction accuracy of RM235
Retail warehousing, handling systems HS83
Reverse osmosis, water purification CR52
Reynolds number, variation of internal efficiency with PLP15
Ride comfort, maximizing VN183
Ride equipment, vibration RM561
Road surfaces
damage due to dynamic tyre forces C103, C109
damage due to trucks AS128
dynamic analysis C103
noise generation VN65
Road tankers, weight distribution of liquid loads D211
Robots
automated assembly HS119
decommissioning of radioactive facilities RF229
five-axes area gantry HS41
manipulators, dynamic equations of motion C397
nuclear environment RF210
overhead crane control systems HS31
positioning devices B261
Rolling resistance, measurement of low values D251
Roots compressor, efficiency of A199
Rotary encoders, torsional resonances in C63
Rotary optical encoders C439
Rotating discs
travelling wave control C119
vibration C119
see also Rotors; Turbine discs
Rotating machinery
anti-earthquake considerations RM1
monitoring RM445, RM449
unbalance sensitivity RM531
vibration RM395, RM445, RM449
Rotor/foundation systems
least squares method RM209
vibration RM209
Rotordynamic behaviour of multi-stage pumps RM247
Rotordynamic coefficients, instability-threshold-based journal bearing RM235
Rotordynamics, anti-earthquake considerations RM1
Rotors
axial thrust RM395
balancing
bimodal RM479
CPLGBAL program RM12
torsional excitation RM505
turboset RM487
with one transient run RM511
component movement RM659
contained liquid unstable vibration RM77
creep HTP27, HTP29, HTP30
critical speeds RM185, RM660
design life HTP27
dynamic analysis RM615, RM627, RM655
multi-shaft rotor–bearing–case system RM607
dynamic instability RM305
dynamic response of dual-rotor system RM599
dynamics RM337, RM365, RM463
dynamics programs RM621
earthquake-induced instability RM4
equations of motion RM185, RM217, RM229, RM299, RM305, RM306
foundation modal parameters RM217
full annular rub RM305
geared
eigenvalues, modes and unbalance vibrations RM279
influence of torsional-lateral-coupling RM279
lateral and torsional motion RM289
noise RM289
vibration RM289
HP instability RM661
impact excitation tests RM223
impeller shroud forces influencing stability RM252
journal bearing stability RM235, RM317
Laval RM333
dynamic behaviour RM463
lead-lag compensation RM34
with tracking differential-notch filter RM36
with tracking notch filter RM35
loose rotating parts RM573
LP turbine RM353
mass unbalance of rigid-body RM33
mathematical modelling RM195, RM333, RM428, RM615
multi-bearing flexible RM235
multi-degree-of-freedom flexible RM305
natural frequencies RM333
non-linearity in hydrodynamic and ball/roller bearing systems RM229
non-repeatable behaviour RM397
permanent bends in RM658
rubbing dynamics RM297
seismic response RM4, RM635
self-exciting whirl RM325
stability of rotation RM337
stationary pre-deformation RM187

© IMechE 1989

steam turbine HTP27
subjected to follower force RM333
support systems RM61, RM223, RM589, RM615, RM635
synchronous vibration control RM23, RM33
temporary bends in RM659
textile machine RM337
thermally induced unbalance RM547
transient response of three-level system RM635
turbogenerator RM479
unbalance response analysis of bearing systems RM539
unbalance sensitivity RM531
vibration C235, RM217, RM487, RM511
control RM101
measurement RM435
prediction RM435
response of two-rotor system RM589
transverse crack RM647
whirling of partially filled RM569
Royal Electrical and Mechanical Engineers D120

Safety aspects
commercial vehicles TC1
decommissioning of radioactive facilities RF5, RF36
flexible manufacturing systems B247, HS63
handling systems B247, HS63
Sales demonstrations B191
Sales engineers
approach to buyers B187
closing the sale B202
customer objections B200
key skills of B185
obtaining the order B202
supplementary aids B193
use of questions B196
working day B185
Sales presentation B189
Schlieren technique EM109
Scuffing tests, two-disc C211
Seals and sealing
clearance effects on leakage and rotordynamic coefficients RM371
dynamic coefficients RM379
gas labyrinth RM388
gases RM387
influence on dynamics of turbopumps RM259
influence on rotor vibrations RM387
liquid RM371, RM387
rotating dryers RS49
turbomachinery RM387
Seamless Tubes Limited (STL), plant enhancement A159
Self-guided vehicles, development of HS13
Self-tuning controllers, low-order systems C301
Sensors
acceleration AS95
ionization CE173, EM43
non-contact opto-electronic B261
position AS75
shock absorbers AS114
vibration analysis RM64
Servo-motors TC117
comparison with stepper motors D112
Servo-valves, spool hydraulic stiffness *(erratum)* C72
Shafts
cracked, dynamic response RM473
cracked hollow RM463
dynamic analysis of multi-shaft rotor–bearing–case system RM607
fatigue D201
subsynchronous whirl RM325
see also Rotors
Shakedown method, high-temperature plant HTP1
Shock absorbers AS113
sensors AS114
Silencers
acoustic performance A57
air intake VN17
computer aided design VN41
engine intake VN39
exhaust A58, VN17, VN39
insertion loss VN39
plant location A57
safety and relief valve A89
steam discharge A89
Soils, tyre force properties in TC34
Solar irradiation
anisotropic model for inclined surface C67
daily inclined surface C333
Sol-gels C232
Soot concentration, determination of EM134
Sorting equipment, voice data-entry systems HS57
Sound intensity vector analysis VN133
Spark-ignition engines
anti-slip-regulator systems (ASR) TC90
auto-ignition CE25
cold-start characteristics EM85
correlation between early light emission and peak pressure CE1
ethanol-fuel CE191
exhaust-gas ionization sensor CE173
feedback control CE31, CE176
flame propagation CE43
fuel-injection system CE31
high-speed variable swirl CE43
ignition ability of glow discharges CE9
influence of swirl and fuel type on mass burning rates CE35
performance effects CE253
transient heating and emissions EM101
warm-up period EM101
Spatial transformation of sound fields (STSF) VN133
Speech recognition, data-entry tasks HS57
Speed control, leakage flow detection B213
Springs
adjustable AS96
air AS96
magnetic AS97
Stability
four-wheel-drive vehicles TC49
four-wheel steering AS191
non-steady evaluation RM317
see also under Rotors
Stability analysis
hydraulic systems A79
steering AS169
Stainless steels
chemical reagents for bulk dissolution RF111
inelastic behaviour HTP17
torispherical shells A183
Starting conditions
cold-start performance EM85
transients in drive systems D201
Statistical process control B64, B109
Steam discharge, silencers A89
Steam flow measurement RS19
Steam generation
centralization RS43
gas firing RS35
gas use for RS1
heating application RS41
Steam heating, comparison with other fluid systems RS42
Steam plant
basic principles RS1
case studies RS4
combined heating, power and cooling plant RS27
deaerator systems A109
decentralization RS45
distribution and return RS2
distribution losses RS35, RS44
efficiency of RS35
end use RS1
see also Drying and dryers
Steam replacement in industrial low-temperature processes RS36
Steam traps, gasket performance A67
Steam turbines
boiler coupling model A221
cogeneration in industrial and heating pump plants RS65
combined heat and power (CHP) schemes A24, RS65
fault diagnosis RM405
rotordynamic analysis techniques RM655
trim balancing RM491
vibration RM419
diagnostic system RM455
Steel structures, decommissioning of radioactive facilities RF215
Steer angle D175
Steering
controlled rear-wheel AS149
electronically controlled power-steering TC5

© IMechE 1989

four-wheel AS165, AS171, AS181, AS191
stability analysis AS169
velocity dependent steering gear ratio AS165
yawing motion AS171
Stepper motors
advantages of D112
characteristics of D113
direction of current flow D116
disadvantages of D112
drives D115
excitation mode D116
principles of D111
resonances D115
transient response characteristics D114
types of D112
voltage application D116
Sterilization services in hospitals RS60
Stirling cycle, heat pumps C431
Stirling engines
baseline configuration A262
basic principles A257
combustion system A262
control system A263
double-acting A259
flow analysis C31
liquid oxygen system A265
power output A263
SAGA I submarine A267
submarines A257
Swedish Navy programme A259
thermodynamic design simulation C85
thermodynamics C31
underwater technology A258
V4-275R A257
Stock handling, retail warehousing HS83
Stokers
automation RS8
burnback sensing and correction RS9
chain grate RS12
combustion air characterization RS10
ignition plane control RS10
ignition sequence automation RS9
Storage systems
computer simulation HS145
cost characteristics HS125
Strain gauges, finite element analysis RM177
Stratified-charge engines
direct-injection CE85
intensification of local premixing CE85
Straw fuels PW19
Streamwise vorticity, expressions for C1
Stress intensity factor, time history calculation HTP99
Stringy damage patterns, polymer solutions C263
Structural analysis, computerized HTP13
Submarines
SAGA I A266
Stirling engine A257
Superalloys, high-temperature materials for aerospace and industrial power *(book review)* C145
Superconductivity
applications of C149
phenomenon of C147
Superconductors
materials C153, C155
Surface irradiation. *See* Solar irradiation
Surface measurement
alternative systems C179
cylinder bores EM59
damping effect C177
follower system C182
magnitude of rate of change of reaction C173
magnitude of reaction C170
non-geometric properties C174
philosophy of optimization C169
signal fidelity C181
statistical properties C173
system properties C177
Surface roughness, elastic–plastic contact C269
Surplus facilities management program (SFMP) RF43
Suspensions
active AS2
ambulance stretcher AS59
bounce model AS27, AS29
control concept AS43
control equation AS29
controller design AS44
cross model AS27, AS30
design procedure AS44
functional description AS28
layout AS28
low power AS27
mathematical model AS44
multi-model approach AS45
performance and power requirements AS1
power consumption AS29
theorectical comparisons AS1
with preview AS43
active/semi-active TC5
adaptive control AS141
adjustable dampers AS95
agricultural vehicles AS133
closed-loop control systems AS97
description of systems AS1
electronic control AS93
four-wheel steering AS191
frequency-dependent variable damping AS101
full car body model AS37
independent AS125
axle module AS126
intelligent damping system AS141
invariant properties AS35
linear quadratic Gaussian (LQG) approach AS11
linear variable inductance position transducer AS75
live axle AS126
mathematical modelling AS3
optimal vibration adjustment AS119
passive AS1
parameter adaptation AS51
pneumatic active D243
quarter car model AS35, AS51
semi-active AS2, AS43, AS83
advanced systems AS93
control strategies AS85
damping characteristics AS83
on-off AS199
optimal damping AS84
sensing body and wheel motion AS87
simulation of control strategy AS86
software tuning AS91
valve AS69
variable damper AS69
single degree-of-freedom model AS199
slow active AS2
switchable damper AS3, AS5
tracked vehicles D143
tractors AS133
trade-off constraints AS36
trucks AS125
variable damping—philosophy and experiences AS113
Swirl
air generation CE109
combustion chamber CE109
DI diesel engine CE165
GTL barrel CE203
multiple intake valve engine CE73
optimum level CE157
see also Spark-ignition engines
Syphon equipment for dryers RS51
System models
decoupling precompensators for C161
linear multi-variable C161
Syphon equipment for dryers RS51
System models
decoupling precompensators for C161
linear multi-variable C161

Tangara commuter rail stock RV49
Tanks, cleaning RF143
Tape casting, ceramics C231
Teaching Company scheme B129
Technologist industrial training B29
Technology
and economic growth B1
integration through B66
Technology transfer, international markets A76
Temperature distribution, brake drums D257
Temperature measurement, CARS EM138
Textile industry, monitoring B177
Thermal analysis, gearboxes C245, C257
Thermal cyclic loading, crack propagation HTP85

© IMechE 1989

Thermal expansion coefficients, ceramics C232
Thermal stresses under cyclic loading HTP86
Thermal stripping
  crack propagation HTP97
  fatigue damage HTP97
  impulse response method HTP98
Thermodynamics, hot-air engine C31
Thin layer activation (TLA) technique EM52
Thin shells
  cyclic thermal loading HTP7
  theory 1888–1988 A141
Torispherical shells
  buckling under external pressure C409
  failure under internal pressure A183
Torsional excitation, balancing of flexible rotors RM505
Torsional resonances in rotary encoders C63
Tracked vehicles, suspensions D143
Traction aids for passenger cars TC47
Traction control TC13, TC83
  ABS/ASR TC114
  and differential locks TC17
  ASR adaption TC16
  automatic brake application TC98
  basic concept TC14
  benefits of TC95
  commercial vehicles TC2
  components of TC15
  design TC89, TC105, TC113
  differentials TC75
  electro-hydraulic system TC99
  field experience TC113
  four-wheel-drive vehicles TC49
  integrated function TC103
  link to braking system TC141
  rear-wheel-drive vehicles TC61
  requirements TC103, TC104
  safety features TC105
  three-axle vehicles TC17
  viscous couplings TC151
  with vacuum booster TC106
Tractors
  cab suspensions AS135
  front axle suspension AS134
  suspending driven wheels AS135
  suspensions AS133
Training. *See* Education and training
Transfer lines, automatic. *See* Automatic transfer lines
Transfer matrix method, dual-rotor system RM599
Transmission error, measurement of C439
Transmission lines, modal approximations B153
Transmission wind-up in military vehicles TC23
Transmissions
  automatic, traction control TC61
  commercial vehicles D71
  noise reduction VN109
Transportation equipment industry, research and development D83
Truck engine, heat transfer EM159
Trucks
  braking systems TC125
  disc brakes DB71
  QHV90 project VN13
  supplier R and D D84
  suspensions AS125
Tube trains. *See under* Railways
Turbine blades
  beam-like RM125
  dimensional variations RM143
  gas dynamic damping properties RM135
  secondary streamwise vorticity C1
  streamwise losses C1
  vibratory response through resonance RM125
Turbine discs
  mistuned RM143, RM151
  vibration RM151, RM177
Turbine heat rate (THR) A221
Turbines
  axial-flow, preliminary design and performance prediction *(discussion)* A213
  balancing pass-out/condensing turbines RM9
  partial-arc admission RM396
  short-duration vibration changes RM397
Turbocharger–turbine test facility EM75
Turbochargers, vibration analysis RM193
Turbocharging
  flameproofed engines A231
  HSDI engine A176
Turbogenerators
  earthquake response RM3
  modelling RM427
  optimal dynamic response RM427
Turbomachinery
  backflow phenomena PLP41
  field balance techniques RM9
  foundation parameters RM201
  hydraulic resistance PLP44
  internal flow condition PLP41
  pre-swirl at entry to annular seals RM69
  seals RM387
  steel foundations RM201
  vibration RM201
  computed and measured RM411
Turbulence
  flow structure CE235
  premixed combustion CE225
Tyre force properties in soils TC34
Tyres
  noise generation VN65
  noise prediction VN175
  noise simulation VN175
  road surface damage due to C103, C109
  slip-dependent forces AS181
  vehicle handling D176

Ultrafiltration, water purification CR52
Universities, integrating industry and B9

Vacuum servos TC98
Valve lift
  control system EM26
  profile generator EM26
Valve timing
  on IC engines EM25
  variable CE273
Valves
  anti-slip-regulator systems (ASR) TC117
  ball, pressure pulsations GLP90
  closed, head and power at PLP7
  dynamic simulation with pulsation effect GLP3
  electro-hydraulic, operating system EM25
  experimental test GLP4
  gas sampling EM35
  globe, pressure pulsations GLP91
  HSDI engine A178
  influence of pressure behaviour GLP1
  intergate overpressurization A45
  isolation A45
  leakage assessment A45
  multiple intake CE73, CE273
  noise control A89
  semi-active suspension systems AS69
Vehicle body structure behaviour VN183
Vehicle handling
  aerodynamics D181
  design factors D176
  four-wheel steering AS191
  linear and non-linear steady state D173
  loading effects D182
  primary regime D176
  rolling resistance measurement D251
  secondary D182
  steer angle D175
  turning radius D185
  tyres D176
Vehicle noise. *See under* Noise
Vehicles, dynamic analysis C103
Venting systems, noise control A57
Vibration
  adaptive control AS119
  axial-flow fans CR25
  boiler feed pumps PLP167, RM435
  centrifuges RM555
  clean rooms CR25, CR43
  control methods RM45
  correction masses RM499
  coupled system RM567
  diagnostic systems RM455
  generators RM455
  steam turbines RM455
  diesel engines RM579
  disc brakes DB83, DB135
  fluid-induced RM325
  fluid swirl control RM69
  geared rotors RM279, RM289
  gears C63
  influence of damping and angular acceleration RM125
  journal amplitudes RM365
  optimum control RM41

© IMechE 1989

prediction from combustion pressure measurements VN147
pressure pulsations GLP43
rotary digital systems C63
rotating beam-like turbine blades RM125
rotating discs C119
rotating leisure ride equipments RM561
rotating machinery RM395, RM445, RM449
rotor control RM23
rotor/foundation systems RM209
rotors C235, RM217, RM487, RM511
partially filled with liquid RM77
sharing common discontinuously non-linear support RM589
with oil-film bearings RM61
with transverse crack RM647
shaft RM325
steady-state beat RM575
steam turbines RM419
thrust loaded ball bearings C305, C313
torsionally excited unbalance RM505
turbine discs RM143, RM151, RM177
turbomachinery RM201
computed and measured RM411
see also under Suspensions
Vibration analysis
actuators RM64
clean rooms CR44
crankshafts VN95
dynamic stiffness matrix VN95
pumps CC12
sensors RM64
turbochargers RM193
Vibration control
aircraft engines RM85
grinding machines RM109
rotors RM101
Voice data-entry systems HS57

Wankie power station, Zimbabwe A193
Warehousing
automated HS33
control systems HS95
retail HS83
Warm-up period
exhaust emissions EM101
transient heating EM101
Waste heat recovery
cost benefit analysis PW104
working systems PW104
see also Heat recovery
Waste treatment
combustion PW89, PW109
composting PW31
cost implications PW24
decommissioning of radioactive facilities RF3, RF5, RF24, RF35, RF64, RF73, RF80, RF104, RF118, RF129, RF133, RF153, RF160, RF167, RF175, RF185, RF190, RF234, RF244
energy applications PW75
evaluation of facilities PW1
fines composting PW32, PW33
gases PW95
HARBINGER model PW2
heat recovery PW95, PW105
incineration PW75, PW95, PW101, RS61
liquids PW95
mathematical models PW1
plant specification PW25
product quality and use PW32
profitability PW21, PW33
prospects PW26
recycling PW21
solids PW95
W + E concept PW89
see also Landfill gas abstraction
Water content, crude oil A117
Water hammer, optimum utilization A249
Water purification systems CR52
Water supplies
ultra-pure CR51
see also Cogeneration plants A129
Wear
abrasion, microstructural effects C390
abrasive multiple scratch tests C388
abrasive single scratch tests C385, C386
adhesive transfer C384, C391
cylinder liners EM59
disc brakes DB107, DB135
elastic–plastic contact C269
fatigue C391
mapping C379, C392; *(discussion)* C443
mechanical conditions C379, C385
modelling C379
Wear coefficient C382
Weir Pumps Limited, CADCAM CC31
Wheel loads, criteria for assessing C110
Wheel spin
anti-wheel-spin system TC135
on/off-road vehicles TC33
Wind noise, wind tunnel tests VN55
Wind turbines, n-bladed propellers with arbitrarily positioned hinges RM163
Worthington Simpson CAE project CC21

Yawing motion, four-wheel steering AS171
Yugoslav Railways, type 'Z' passenger coach development RV57

© IMechE 1989